

2012 GERBER MILITARY PRODUCT REFERENCE GUIDE

133

WE HAVE BEEN MEETING THE UNIQUE KNIFE AND TOOL NEEDS OF OUR SERVICEMEN AND WOMEN FOR OVER 40 YEARS. WE MAKE PRODUCTS THAT HELP OUR SOLDIERS WORK EFFICIENTLY, SOLVE PROBLEMS AND SAVE LIVES. EVERY NEW DESIGN IS BASED ON DIRECT FEEDBACK FROM SOLDIERS THAT FIELD-TEST OUR KNIVES AND TOOLS EVERY DAY. PROUDLY MADE IN PORTLAND, OREGON, OUR GERBER MILITARY LINE COMBINES THE TOUGHEST MATERIALS, THE MOST INGENIOUS DESIGNS AND THE SHARPEST, MOST LONG-LASTING BLADES TO ENSURE THAT EVERY AMERICAN SOLDIER HAS THE BEST NO MATTER WHERE OR HOW THEY SERVE.

## **ORDERING INFORMATION:**

 DIRECT MILITARY SALES

 govsales@gerbergear.com

 800.950.6161 x1223

 CONTRACT:
 GS-07F-0223X

 CONTRACT:
 GS-06F-0015J

 CAGE CODE:
 ORAU7

 DUNS:
 803836345

## CONTENTS

#### **2012 PRODUCTS**

Cable Dawg <sup>™</sup> 3	1
CFB <sup>™</sup> [Combat Fixed Blade]4	
De Facto <sup>™</sup> 5	i
Downrange Sharpener <sup>™</sup> 6	i
Emergency Rescue Hook <sup>™</sup> 7	,
MP600 ST <sup>™</sup> 8	
Weapons Light <sup>™</sup> 9	ļ

#### KNIVES

Fixed Blade1	0
Folding Clip1	0
Folding Sheath1	.1

#### MULTI-TOOLS

Full Size	13
Mid-Size/Pocket	14

#### LIGHTS

	Hands-Free	18
	Flashlights	
KITS		20
LI D		

SHARPENERS	
SPADES	
WIRE CUTTERS	
MERCHANDISE	
	Coffee Mugs27Water Bottle27Baseball Caps27Beanies28Mouse Pad28Tee Shirts28
DISPLAYS	Single Multi-Tool Display



*For warranty details go to: www.gerbergear.com/warranty* 

## **CABLE DAWG**<sup>\*</sup> The Cable Dawg

provides the communications needed on today's modern battlefield. Whether supporting troops working on IT, telecom or satellite, the Cable Dawg provides Gerber's military customer with the specific capabilities needed to maintain communications efforts in a high tempo combat environment. Additionally, this tool meets the military objective of reducing a soldier's load by bringing the functionality of many tools into an effective all-in-one package.

## FEATURES

- Made in the USA
- Wire/Cable Cutter
- CAT5 Jacket Cutter
- Spring Loaded Jaw
- RJ45 Crimper Head
- Wire Strippers
- Glass Filled Nylon Molded Handles
- Combo Edge Knife Blade with Jacket Cutter
- Detachable Component Handles
- Magnetic Driver Extension
- Multiple Driver Storage
   Compartment

### **TECH SPECS**

- Length: 7.5"
- Weight: 13.8 oz.





ACU SHEATH, ITEM #:	30-000361
NSN:	5110-01-598-2253
UPC:	0-13658-12216-1
COYOTE BROWN SHEATH, <b>ITEM</b>	<b>#:</b> 30-000397,
NSN:	5110-01-598-2254
UPC:	0-13658-12350-2
MULTI-CAM SHEATH, ITEM #:	30-000398
NSN:	5110-01-598-2248
UPC:	0-13658-12351-9

## **CFB<sup>TM</sup>** [COMBAT FIXED BLADE] Gerber built

the Combat Fixed Blade to be tough, indestructible and reliable for everyday use in the field. A full-tang, stainless steel knife with a 154CM high carbon steel tanto blade for cutting, prying, slicing and scraping, the lower portion of the blade is serrated. The handle has a rubberized grip and a blunt pommel. It comes with a molded plastic sheath for multiple carry options on a belt or a MOLLE compatible vest. The CFB is an indispensable daily-use knife for every type of soldier.



## FEATURES

- 154CM High Carbon Steel Tanto Blade
- Full Tang with Rubberized Handle
- Multiple Carry Options
- Made in the USA

### **TECH SPECS**

- Blade Length: 4.25"
- Blade Thickness: .12"
- Overall Length: 9.25"
- Weight: 4.9 oz.
- Weight with sheath: 9.6 oz

ITEM #:	
NSN:	

22-01445DS 1095-01-466-8569

## **DE FACTO**<sup>TM</sup> In close quarters combat, speed of deployment is key. If a soldier's primary weapon system is compromised, they need an immediate, easily accessible solution to defend against physical threat. Developed with veteran SF operators, our knife has a four-inch spear-point blade, dual serrations, rubberized grip and spike pommel that quickly transforms an empty hand into a lethal defense weapon. What sets this knife apart is its innovative sheath locking system - a "weapons hot" friction lock for fast, unrestrained deployment in danger close situations and a secondary retention lock to ensure that the knife isn't lost during high-speed insertion.



## FEATURES

- 4" Spear Point Blade with dual serrations
- Spike Pommel with lanyard hole
- Rubberized grip
- TAN499 Injectionmolded handle
- Single Piece Sheath with friction lock and secondary retention lock

### **TECH SPECS**

- Blade Length: 4.0"
- Overall Length: 8.875"
- Weight: 3.9 oz.
- Weight with sheath: 5.1 oz.

120	and have have been
	<b>O</b>
	the set of the set

ITEM	#:
UPC:	

30-000523 0-13658-12187-0

## **DOWNRANGE SHARPENER<sup>™</sup>**

Gerber blades are legendary for keeping an extremely sharp edge, but out in the field every knife needs maintenance. Our Downrange Knife Sharpener has a carbide sharpener for a fine-edge blade, two different diamond-coated rods for serrated blades and a flat diamond-coated plate for finishing. Its compact machined aluminum body is covered in TAN499 ceramic and includes a 550 lanyard.



- Machined Aluminum Body
- Coated TAN499 Ceramic
- Replaceable Carbide Cutters
- Large and Small Diamond
- Coated Rod for Serrations
- Flat Diamond Coated Plate <u>for Fi</u>nishing
- 550 Lanyard
- Made in the USA

#### **TECH SPECS**

- Length: 4.35"
- Thickness: .5"
- Width: 1.44"
- Weight: 2.2 oz.





ITEM #: UPC: 30-000589 0-13658-12994-8

## **EMERGENCY RESCUE HOOK<sup>TM</sup> What started**

out as a specialty rescue tool for Military First Responders has become an everyday essential for all types of soldiers. Made to quickly and safely cut through anything – cords, seat-belts, clothes, straps, flexcuffs, tape – our new design is longer for a greater reach and features an integrated oxygen tank wrench and blunt pommel for breaking through glass. Housed in a TAN 499 ballistic molded plastic clip sheath, the Rescue Hook is made to be carried close at hand - on your vest, on your pack or on your belt.





### FEATURES

- 420HC Steinless Steel
- Single Bevel Knife Edge with Blunt Hook
- Textured Edge Handle
- Glass Breaker/Lanyard Hole
- Integrated Oxygen Tank Wrench
- Friction Lock Sheath
- Made in the USA

## TECH SPECS

- Blade Length: 2.92"
- Overall Length: 8.12"
- Weight: 3.04 oz.

ITEM #: UPC: 30-000509 0-13658-12995-5

## **MP600 ST<sup>™</sup>** [SIGHT TOOL] It's extremely

difficult to improve on a Gerber Military classic, but we've done it with the MP600 Sight Tool. Built with the same one-handed opening technology as our MP600, our updated version has a longer Phillips driver, a combined serrated and fine edge blade, a carbon scraper for weapons maintenance and a newly designed, super-durable front sight adjustment tool. The MP600 ST is Gerber's new standard in Military issue multi-pliers.

all the



## FEATURES

- Stainless Steel Construction with Black Oxide Finish
- Needlenose Pliers with Crimper Jaws
- One Hand Opening
- M4/M16 Front Sight Post Adjustment Tool
- Carbon Scraper
- Serrated / Fine Edge Knife
- Carbide Wire Cutters

- Long Reach Philips
- Screwdriver
- Lanyard Ring
- Can Opener / Bottle Opener
- Berry Compliant TAN499 Sheath with MOLLE and Belt Attachment
- Carbide Wire Cutters
- Made in the USA

## TECH SPECS

- Open Length: 6.61"
- Closed Length: 5.04"
- Weight: 8.2 oz.
- Weight with sheath: 9.8 oz.

ITEM #: UPC: 30-000513 0-13658-12767-8

## WEAPONS LIGHT<sup>TM</sup> Mountable on an M4 or M249,

the Weapons Light is a compact, 250 lumen weapons light with three settings - off, momentary on and momentary strobe. It comes with a remote pressure switch for the rifle foregrip as well as a standard tailcap switch. It's waterproof to one meter and o-ring sealed to keep out moisture and dirt. Its infrared filter doubles as a dust cover. Mounted with a rugged LaRue QD tactical mount, the Muzzleflash does not loosen due to weapon recoil. Like our knives and tools, Gerber lights are built to be dependable, efficient and long-lasting.

## 



### **FEATURES**

- 3 Settings Off, Momentary On and Momentary Strobe
- 250 Lumens
- IR Filter / Dust Cover
- TAN499 Coating
- Remote Pressure Switch for Rifle Foregrip
- Mounted with a Rugged LaRue QD Tactical Mount
- Waterproof to 1 meter
- Made in the USA

### **TECH SPECS**

- Length: 4.6"
- Weight: 6.0 oz.
- Runtime: 2.3 hrs.
- Lumens: 250
- Batteries: [2] CR123

ITEM #:	
UPC:	

30-000410 0-13658-<u>12626-5</u>



## 

FIXED BLADE		P/N	UPC	SPECIFICATIONS	
Accuences a	LMF <sup>™</sup> II ASEK & INFANTRY SERRATED EDGE ASEK SYSTEM - FG504 NSN: 1095-01-552-5218	22-01627G	0-13658-01627-9	Blade Length: 4.8 Overall Length: 10.5 Weight: 11.4 Sheath: Molded Plas Handle: TacHid	59" oz stic
F6504 F6504	STRAP CUTTER™ SINGLE BEVEL & HOOK BLACK NSN: 5110-01-578-4890 COYOTE BROWN NSN: 5110-01-578-4889 FG504 NSN: 2590-01-576-2424 TAN499	22-01944 30-000132 22-01943 30-000364	0-13658-01944-7 0-13658-11414-2 0-13658-01943-0 0-13658-12230-7	Overall Length: 4.37 Weight: 2.25 Sheath: Molded Plas Handle: Glass-filled Nyl	oz stic
NEW	<b>CFB™ [COMBAT FIXED BLADE]</b> SERRATED EDGE TANTO NSN: 1095-01-466-8569	22-01145DS		Overall Length: 9.2 Weight: 4.9	25" 25" 9 oz 8 oz 10n
	<b>DE FACTO</b> <sup>TM</sup> SERRATED EDGE DOUBLE BEVEL	30-000523	0-13658-12187-0	Overall Length: 8.8' Weight: 3.9	) oz 1 oz
NEW	<b>EMERGENCY RESCUE HOOK</b> <sup>™</sup>			Blade Length: 2.9	92"



30-000590 0-13658-12995-5

2.92" 8.12" 3.04 oz Blade Length: Overall Length: Weight: Handle: Glass-filled Nylon

## **FOLDING CLIP**



			P/N	UPC	SPECIFICATIONS	
	<b>OG AUTOMATIC</b> <sup>TM</sup> SERRATED EDGE DROP POINT - S30V <b>NSN: 1095-01-446-4348</b>	Automatic knives avai	22-01397 ilable through au	0-13658-01397-1 athorized dealers only.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.80" 8.50" 4.70" 7.0 oz Aluminum
	<b>OG AUTOMATIC™</b> SERRATED EDGE TANTO - S3OV NSN: 1095-01-456-4457	Automatic knives avai	22-01055DS ilable through au	0-13658-01055-0 ithorized dealers only.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.8" 8.5" 4.7" 7.0 oz Aluminum
	OG AUTOMATIC <sup>™</sup> G-10 SERRATED EDGE TANTO NSN: 5110-01-516-3243	Automatic knives ava	30-000193 ilable through at	0-13658-11665-8 uthorized dealers only.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.8" 8.5" 4.7" 6.3 oz G-10
	<b>O6 COMBAT FOLDER</b> ™ SERRATED EDGE DROP POINT <b>NSN: 1095-01-535-5733</b>		30-000308	0-13658-12259-8.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
NEW	<b>OG COMBAT FOLDER</b> ™ FINE EDGE DROP POINT <b>NSN: 1095-01-535-5724</b>		30-000462	0-13658-12543-8.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
NEW	OG COMBAT FOLDER <sup>™</sup> BLACK BLADE SERRATED EDGE DROP POINT NSN: 1095-01-535-5733		30-000463	0-13658-12544-6.	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 8.6 oz 6061 Aluminum
He apply to a second se	APPLEGATE-FAIRBAIRN <sup>™</sup> SERRATED EDGE DOUBLE BEVEL NSN: 5110-01-451-4943	COVERT	05786	0-13658-05786-9	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 4.2 oz Glass-filled Nylon
	APPLEGATE-FAIRBAIRN <sup>™</sup> SERRATED EDGE S30V NSN: 5110-01-539-9990 Automatic knives available through au		<b>TIC</b> ™ 30-000137	0-13658-11411-1	Blade Length: Overall Length: Closed Length: Weight: Handle:	3.78" 8.7" 4.92" 5.0 oz 6061 Aluminum

Automatic knives available through authorized dealers only

## FOLDING CLIP



		P/N	UPC	SPECIFICATIONS
	<b>D.M.F.™ AUTOMATIC</b> SERRATED EDGE MODIFIED CLIP POINT - S30V NSN: 4220-01-591-5483 Automatic knives available through authorized dealers only.	30-000184	0-13658-11589-7	Blade Length:3.5"Overall Length:8.5"Closed Length:3.85"Weight:8.5 ozHandle:G-10
	<b>D.M.F.™ AUTOMATIC</b> SERRATED EDGE TANTO S3OV Automatic knives available through authorized dealers only.	30-000190	0-13658-11612-2	Blade Length:3.5"Overall Length:8.5"Closed Length:3.85"Weight:8.5 ozHandle:G-10
Contraction of the second seco	E-Z OUT <sup>™</sup> DPSF SERRATED EDGE BLACK BLADE NSN: 5110-01-452-2215	22-01648G	0-13658-01643-9	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 5.0" Weight: 2.8 oz Handle: Glass-filled Nylon
	<b>E-Z OUT<sup>™</sup> DPSF</b> SERRATED EDGE SATIN BLADE NSN: 5110-01-451-0707	22-01643G	0-13658-01648-4	Blade Length: 3.5" Overall Length: 8.5" Closed Length: 5.0" Weight: 2.8 oz Handle: Glass-filled Nylon
COMEN - CONTRACTOR	S.A.H.™ [SAFETY AUTO HOOK] SERRATED EDGE MODIFIED CLIP POINT	30-000185	0-13658-12259-8	Blade Length:3.6"Overall Length :8.30" [Blade]Overall Length :6.00" [Hook]Closed Length:5.12"Weight:6.7 ozHandle:G-10
FOLDING SHEATH				
Re andrest Vice Contraction of the	<b>APPLEGATE-FAIRBAIRN<sup>™</sup> COMBAT FOLDE</b> SERRATED EDGE NSN: 5110-01-436-1548	05780	<b>EATH</b> 0-13658-05780-7	Blade Length: 4.48" Overall Length: 10.06" Closed Length: 5.58" Weight: 7.4 oz Sheath: Ballistic Nylon Handle: Glass-filled Nylon Black
Be applying the second	<b>APPLEGATE-FAIRBAIRN<sup>™</sup> COMBAT FOLDEI</b> SERRATED EDGE NSN: 5110-01-539-9985	22-01608	C-13658-01608-8	Blade Length:4.48"Overall Length:10.06"Closed Length:5.58"Weight:7.4 oz.Sheath:Ballistic NylonHandle:Glass-filled Nylon FG504

# **MULTI-TOOLS**



FULL SIZE				MILITARY
		P/N	UPC	SPECIFICATIONS
NEW	CABLE DAWG <sup>™</sup>			
	ACU SHEATH NSN: 5110-01-598-2253 COYOTE BROWN SHEATH NSN: 5110-01-598-2254 MULTI-CAM SHEATH NSN: 5110-01-598-2248	30-000361 30-000397 30-000398	0-13658-11216-1 0-13658-12350-2 0-13658-12351-9	Overall Length: 7.5" Weight: 13.8 oz Wire/Cable Cutter CAT5 Jacket Cutter Spring Loaded Jaw, RJ45 Crimper Head Wire Strippers Combo Edge Knife Blade with Jacket Cutter Detachable Component Handle Magnetic Driver Extension Multiple Driver Storage Compartment Ballistic Nylon Sheath
	ACU COYOTE BRO	WN	MULTI-CAM	
(SHOT BALLER )	DIESEL™			
1°CTINOLOG	BLACK 22-41545 0-13658-41545-4 NSN: 5110-01-540-0152	22-01545	0-13658-11545-6	Overall Length:6.61"Closed Length:4.92"Weight:8.6 oz
				Saf.T.Plus™ Stainless Steel Ballistic Nylon Sheath Needle Nose Pliers 1/2 Fine Edge & Serrated Blade Saw Phillips Driver Small, Medium & Large Flat Driver Bottle Opener & Can Opener File Scissors Wire Cutters Lanyard Ring
	<b>€FECT™</b> NSN: 5120-01-578-4888	30-000030	0-13658-11187-5	Overall Length:8.0"Closed Length:3.5"Weight:3.8 ozSaf.T.Plus™Stainless Steel - BlackInterchangeable Tool Component:OTIS™ Nylon End BrushFront Sight Post AdjusterFlat Driver/ScraperInterchangeable Tool Component:OTIS™ Curved PickPunchScraperACU Sheath





Е	G]	ΞN	ID	TM

NSN: 5110-01-475-2144

08239G1

P/N

UPC

0-13658-08239-7

6.57" 4.29" 9.8 oz

> 5.63" 4.37" 6.8 oz

6.61" 5.04" 9.0 oz

Saf.T.Plus™ Stainless Steel - E-Coat Needle Nose Pliers Needle Nose Pilers 1/2 Fine Edge & Serrated Blade, Remgrit Saw<sup>™</sup> Phillips Driver Small, Medium & Large Flat Driver Bottle Opener Scissors, File Tungsten Carbide Cutters Ballistic Nylon Berry-Compliant Sheath

SPECIFICATIONS

Overall Length: Closed Length: Weight:

Lanyard Ring

## **MID-SIZE/POCKET**

SHOT.	<b>BLACK</b> NSN: 5110-01-539-9996	22-05509G1	0-13658-05509-4	Overall Length: Closed Length: Weight:	5.63 4.37 6.8 o
				Saf.T.Plus <sup>™</sup> Stainless Steel Needle Nose Pliers 1/2 Fine Edge & Serrated Blau Phillips Driver Small, Medium & Large Flat I Bottle Opener & Can Opener Scissors Wire Cutters & Wire Stripper Pocket Clip Regular Pliers Ballistic Nylon Berry Complia Sheath	Driver
(S) (NIND OR MELTING	MP 600 BASIC				
SHOT	NSN: 5110-01-394-6249	07530G	0-13658-07530-6	Overall Length: Closed Length: Weight:	6.61 5.04 9.0 o
				Saf.T.Plus <sup>™</sup> Stainless Steel Ballistic Nylon Sheath Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat I Ruler Bottle Opener & Can Opener File Wire Cutters & Wire Crimper	

## **MID-SIZE/POCKET**

## **MP 600 BASIC – TUNGSTEN CARBIDE**

BLACK NSN: 5110-01-394-6220

07550G1

P/N

0-13658-06895-7

UPC

Overall Length: Closed Length: Weight:

Overall Length:

Closed Length:

Wire Crimper Lanyard Ring Leather Sheath

Overall Length:

Closed Length: Weight:

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver

SPECIFICATIONS

6.61" 5.04" 9.0 oz

6.61"

5.04"

6.61"

5.04"

9.0 oz

Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat Driver Ruler Bottle Opener & Can Opener File Tungsten Carbide Wire Cutters Wire Crimper Lanyard Ring Berry Compliant Ballistic Nylon Sheath

14 MULTI **BLACK WITH LEATHER SHEATH** NSN: 5110-01-321-8805

## **MP 600 BASIC - TUNGSTEN CARBIDE**

30-000314	0-13658-12059-4

07535G

Weight: 9.0 oz Saf.T.Plus™ Stainless Steel Needle Nose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat Driver Ruler Bottle Opener & Can Opener File Tungsten Carbide Wire Cutters

Small, Medium & Large Flat Driver Ruler Bottle Opener & Can Opener File Tungsten Carbide Wire Cutters Wire Crimper Lanyard Ring Leather Sheath

0-13658-06895-7











	MP 600 BASIC - BLUNTNOSE - TUNGSTE	N CARBIDE			
TOMOLOGI CONTRACTOR	NSN: 5110-01-346-5339	07500G	0-13658-07500-9	Overall Length: Closed Length: Weight:	6.38" 4.88" 9.0 oz
				Saf.T.Plus <sup>™</sup> Stainless Steel BluntNose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat Ruler Bottle Opener & Can Opener File Tungsten Carbide Wire Cutt Wire Crimper Lanyard Ring Ballistic Nylon Sheath	
LE MAND OR THE MELTING	MP 600 BASIC - BLUNTNOSE - TUNGSTE	N CARBIDE			
	BLACK NSN: 5110-01-346-5341	07520G1	0-13658-07520-7	Overall Length: Closed Length: Weight:	6.38" 4.88" 9.0 oz
				Saf.T.Plus <sup>™</sup> Stainless Steel BluntNose Pliers Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat Ruler Bottle Opener & Can Opener File Tungsten Carbide Wire Cutt Wire Crimper Lanyard Ring Berry Compliant Ballistic N Sheath	ters
14 TOO	MP 600 BASIC - BLUNTNOSE - TUNGSTE	N CARBIDE			
THE REAL PLE	WITH TOOL KIT NSN: 5110-01-385-7354 WITH LEATHER SHEATH	07510G	0-13658-07510-8	Overall Length: Closed Length: Weight:	6.38" 4.88" 9.0 oz
all	WIIN LEAINER SNEAIN			Saf⊤Plus™	

P/N

07505G

UPC

## MID-SIZE/POCKET

-

NSN: 5110-01-346-5340



Saf.T.Plus™ Stainless Steel BluntNose Pliers

Ruler

Fine Edge Knife Serrated Edge Knife Phillips Driver Small, Medium & Large Flat Driver

File Tungsten Carbide Wire Cutters Wire Crimper Lanyard Ring Ballistic Nylon or Leather Sheath

Bottle Opener & Can Opener

0-13658-07505-4

	MP 600 D.E.T.™			
14 MULTI- PLIERS	BLACK NSN: 5110-01-462-3400	07400	0-13658-07400-2	Overall Length: Closed Length: Weight:
				Saf.T.Plus™ Stainless Steel - Black Needle Nose Pliers With Blasting Cap Crimper Wire Cutter & Wire Crimper C4 Punch Fine Edge Knife Phillips Driver Large Flat Driver Remgrit™ Saw With Universal Coupler Can Opener File Lanyard Ring Ballistic Nylon Sheath
14 TOOL MULTI-	<u>MP 600 ST™</u>			
	BLACK	30-000513	0-13658-12767-2	Overall Length: Closed Length: Weight:
No.				Saf.T.Plus <sup>™</sup> Stainless Steel - Black Needle Nose Pliers With Blasting Cap Crimper M4/M16 Front Sight Post Adjustment Tool Carbon Scraper Fine & Serrated Edge Knife Carbide Wire Cutters Long Reach Phillips Driver Lanyard Ring Can & Bottle Openers Berry Compliant TAN499 Sheath with MOLLE & Belt Attachment

P/N

UPC

## MID-SIZE/POCKET

NEW



6.61" 5.04"

9.0 oz

6.61" 5.04" 8.2 oz

SPECIFICATIONS

LIGHTS HANDS FREE	5	P/N	UPC	SPECIFICATIONS
WHITE WHITE	HFR-M <sup>TM</sup>	30-000287	0-13658-11963-5	Overall Length: 2.99" Weight: 3.9 oz/CR123 & Helmet Mount 4.99 oz; 4.2 oz/AA Battery Lumens: 59/100 Burst Capability Runtime: 6 hrs Batteries: AA or CB123
NEW	WHITE LIGHT	30-000410	0-13658-12626-5	Overall Length: 5.5" Weight: 5.25 oz Lumens: 250 Runtime: 3.5 hrs Batteries: [2] CR123
FLASHLIGHTS	EXPERT-M <sup>™</sup> NSN: 6230-01-574-2749	22-80131	0-13658-80131-8	Overall Length: 4.6" Weight: 6.0 oz
	WHITE LIGHT			Lumens: 103 Runtime: 2.3 hrs Batteries: [2] CR123



FLASHLIGHTS					
		P/N	UPC	SPECIFICATIONS	INITI I VIIII
	RECON-M CPL <sup>TM</sup> NSN: 6230-01-544-2283	22-80075	0-13658-80075-5	Overall Length: Weight: Lumens: Runtime: Batteries:	3.3" 2.2 oz 3 25 hrs [1] AA
	RECON-M <sup>™</sup> IR TAIL CAP UPGRADE NSN: 6230-01-544-2141	22-80002	0-13658-80002-1	Overall Length: Weight: Lumens: Runtime: Batteries:	2.5" 1.3 oz N/A 10 hrs [3] LR44
	RECON-M <sup>™</sup> WITH IR TAIL CAP UPGRADE         NSN: 6230-01-544-2263         WHITE       Image: RED light         WHITE       Image: RED light         BLUE       Image: RED light         Image: RED light       Image: RED light	22-80018	0-13658-80018-2	Overall Length: Weight: Lumens: Runtime: Batteries:	6.5" 4.9 oz 3 28 hrs [1] AA
	RECON-M° II NSN: 6230-01-574-2739	22-80132	0-13658-80132-5	Overall Length: Weight: Lumens: White: 55, Re Runtime: White: 5 h NVIS: 5 Batteries:	5.75" 4.75 oz d: 1, NVIS: 3.5 irs, Red: 5 hrs, i hrs, IR: 5 hrs [2] CR123







9" x 5"

2.7 lbs

SPECIFICATIONS



### ID KIT

ACU SHEATH / FG504 GREEN STRAP CUTTER	
NSN: 5180-01-598-2250	30-000365
COYOTE BROWN SHEATH & STRAP CUTTER	
NSN: 5180-01-598-2249	30-000366
MULTI-CAM SHEATH / TAN499 STRAP CUTTER	
NSN: 5180-01-598-2251	30-000367



0-13658-12233-8	3
5-15-1	

MULTI-CAM

0-13658-12231-4

0-13658-12232-1

UPC

P/N

Sheath with Componen	ts Dimensions:
	4" x 2" x 6"
Weight:	24.04 oz

eFECT Tool Recon-M II Flashlight Needle Nose MP 600 with Carbide Insert MOLLE-Compatible ACU Sheath with FG504 Green Strap Cutter or MOLLE-Compatible Coyote Brown Sheath with Coyote Brown Strap Cutter or MOLLE-Compatible Multi-Cam Sheath with Tan499 Strap Cutter

www.gerbergear.com





## **MAINTENANCE KIT**

NSN: 5110-01-462-3402

P/N

0-13658-07570-2	Overall Length: Closed Length: Weight:	6.57" 5.06" 13.8 oz
	MP 600 with Carbide Insert C and Replacement RemGrit <sup>®</sup> Bl Firecracker Flashlight Black Ballistic Nylon Sheath	

SPECIFICATIONS



BASIC	MINF:	PROBE	KIT

#### NSN: 5180-01-516-3233

#### 05984

UPC

0-13658-05984-9 Weight: 13.8 oz

3 Nylon Probe Tips 3 Titanium Probe Tips Titanium Shaft Nylon Handle MOLLE-Compatible & Berry Compliant Black Ballistic Nylon Sheath

	DELUXE MINE PR NSN: 5180-01-516-3229
--	---

-

## **PROBE KIT**

05982

0-13658-05982-5

Weight:

13.8 oz

3 Nylon Probe Tips 3 Titanium Probe Tips Titanium Shaft Nylon Handle Infinity Ultra Task Light MP 600 DET Multi-Plier MOLLE-Compatible & Berry Compliant Black Ballistic Nylon Sheath KITS





## **OFF-ROAD SURVIVAL KIT**

NSN: 5180-01-457-5621

05635

P/N

0-13658-12233-8

UPC

Case Dimensions: Weight: 12" x 11" x 3" 194 oz

Multi-Plier® 600 BackPaxe™ E-Tool™ Folding Spade Expert-M Flashlight Concertina Wire Cutter Exchange-A-Blade™ Saw Compact Durable Ballistic Nylon Case

SPECIFICATIONS

GERBER



P/N

UPC

SPECIFICATIONS

## WEAPONS CLEANING KITS

			Black Needlenose Multi-P. with carbide cutter inserts Infinity Ultra Task Light <sup>™</sup> L.E.D. Black ballistic sheath - M Equipped Detailed instruction sheet Cleans properly from brea to muzzle Contain OTIS Technology <sup>*</sup> cleaning systems for the v listed.	with red DLLE- s ch weapon
<b>50 CAL</b> NSN: 5180-01-516-3224	22-01104	0-13658-01104-5	Weight: Heavy-duty weapons clea slotted tip with unbreakah threads; 40" cleaning rod.	24.8 oz ning; ile internal
M4/M16			Weight:	32.0 oz
NSN: 5110-01-516-43219	22-01100	0-13658-01100-7	Cleans and maintains all calibur weapons systems. optics cleaning componer	Complete
7.62MM			Weight:	22.4 oz
NSN: 5180-01-516-3218	22-01101	0-13658-01101-4	For 7.62, M40, M240, M60 systems. Special tools for critical situations	
<b>PISTOL/SUB-GUN</b>			Weight:	20.2 oz
NSN: 5180-01-516-3220	22-01102	0-13658-01102-1	For 9mm pistols & sub-gu duty bore brush	ns. Heavy-
SHOTGUN			Weight:	22.2 oz
NSN: 5180-01-516-3222	22-01103	0-13658-01103-8	One-step operation for 12 g Shotgun. Special brushes clean beyond the barrel	ga. & tools to
RIFLE/SHOTGUN/PIST	FOL		Weight:	32.2 oz
NSN: 5180-01-516-3225	22-01105	0-13658-01105-2	For Pistols & sub-guns 9m 45 caliber. 5.56 & 7.62 cali 12 ga. Shotguns	m through ber rifles.
<b>PISTOL/SUB-GUN</b>			Weight:	22.2 oz
NSN: 5180-01-516-3227	22-01106	0-13658-01106-9	Pistols & sub-guns 9mm t caliber. Clean automatics disassembly	hrough 45 without

## SHARPENERS



P/N

UPC

SPECIFICATIONS

# NEW C

#### **DOWNRANGE SHARPENER<sup>™</sup>**

30-000589 0-13658-12994-8

4.35"
.5"
1.44"
2.2 oz

Machined Aluminum Body Coated in TAN499 Ceramic Replaceable Carbide Cutters Large/Small Diamond Coated Rod for Serrations Flat Diamond Coated Plate for Finishing 550 Lanyard Made in the USA



E-TOOL<sup>™</sup> WITH SERRATED BLADE AND PLASTIC SHEATH

## **PLASTIC SHEATH FOR E-TOOL™**

#### 22-00026

22-01062

0-13658-00026-1

0-13658-01062-8

UPC

0-13658-05942-9

Overall Length: 9.5" Weight: 12.4 oz

Glass-Filled Nylon Handle Powder Coated Boron Carbon Steel

Anodized 7075 Aluminium Shaft

Molded Plastic Sheath is H Hardness Web Belt and MOLLE-Compatible,

Molded Plastic Sheath is H Hardness Web Belt and MOLLE-Compatible, Foliage Green



## E-TOOL<sup>™</sup> WITH SERRATED BLADE AND PICK

E-TOOL<sup>™</sup> WITH SERRATED BLADE

NSN: 5120-01-476-7556

NSN: 5120-01-580-7174

NSN: 5120-01-530-9641	22-01945	0-13658-01945-4	Overall Length: Closed Length; Weight:	23.75" 9.25" 37.3 oz
			Serrated Edge Cast Pick Attachment Glass-Filled Nylon Handle Powder Coated Boron Carbor Spade Anodized Aluminium Shaft Forged Steel Head	ı Steel

P/N

05942





Glass-Filled Nylon Handle Powder Coated Boron Carbon Steel

Anodized 7075 Aluminium Shaft

23.39"

9.25"

37.3 oz

23.39"

37.3 oz

9.25"

SPECIFICATIONS

Overall Length:

Closed Length;

Forged Steel Head

Overall Length:

Closed Length;

Forged Steel Head

Foliage Green

Weight:

Spade

Weight:

Spade



## **WIRE CUTTERS**



SPECIFICATIONS

MOLLE-Compatible ACU or Coyote Brown Sheath



## **CONCERTINA CUTTER**

8.5" WITHOUT SHEATH 22-01063 Overall Length: 0-13658-01063-5 Weight: 1.125 lbs **ACU SHEATH** NSN: 5110-01-539-9826 One Handed Cutting Capability 22-01511 0-13658-01511-1 High Strength Tool Steel Jaws **COYOTE BROWN SHEATH** Stamped Stainless Steel Constructed Handles NSN: 5110-01-576-8919 30-000074 0-13658-11283-4 Cushion Grip Non-Slip Handles Available Without Sheath

P/N




ACU



UPC

COYOTE BROWN



www.gerbergear.com

## MERCHANDISE



<b>T</b> GERBER	COFFEE MUG	P/N	UPC
UCERBER		30-000533	0-13658-12826-2
	TRAVEL COFFEE MUG	30-000534	0-13658-12827-4
<b>Ö</b> GERBER			
<b>Ö</b> GERBER	WATER BOTTLE	30-000535	0-13658-12828-6
<b>ैं</b> GERBER			
6	BASEBALL CAP		
		30-000536	0-13658-12829-7
	BASEBALL CAP - CAMO	30-000537	0-13658-12830-9

## **MERCHANDISE**





## **BEANIE HAT**

T

P/N

UPC

30-000538 0-13658-12831-0



## **MOUSE PAD**

30-000538 0-13658-12831-0

GERBER

## TEE-SHIRTS

MEDIUM LARGE X-LARGE XX-LARGE

30-000539	0-13658-12832-3
30-000540	0-13658-12833-0
30-000541	0-13658-12834-7
30-000542	0-13658-12835-4

## DISPLAYS



## SINGLE MULTI-TOOL DISPLAY

**P/N:** 30-000551 **UPC:** 0-13658-12845-3 **Dimensions:** 2.75" W x 3.7" D x 2.5" H



### SINGLE KNIFE DISPLAY

**P/N:** 30-000569 **UPC:** 0-13658-12862-0 **Dimensions:** 4.125" W x 1.81" D x 1.93" H



## **DOUBLE KNIFE DISPLAY**

**P/N:** 30-000570 **UPC:** 0-13658-12863-7 **Dimensions:** 4.375" W x 3.375" D x 2.375" H



## **TRIPLE KNIFE DISPLAY**

**P/N:** 30-000571 **UPC:** 0-13658-12864-4 **Dimensions:** 4.625" W x 5.0" D x 2.82" H



## **FISKARS**®

GERBER GEAR 14200 SW 72ND AVENUE PORTLAND, OREGON 97224 GERBERGEAR.COM

REVISED 10-5-2011