



Innovation
that excites

NISSAN NP300 HARDBODY



NISSAN NP300 HARD BODY

THE SMARTEST INVESTMENT
YOU WILL EVER MAKE!



~~WE MAKE PROMISES.~~ WE KEEP PROMISES.

INTRODUCING NISSAN ASSURED, IT'S MORE THAN A PROMISE. AS PART OF THE NISSAN FAMILY YOU'RE GUARANTEED OUR COMMITMENT TO CUSTOMER CARE. A LASTING BOND BETWEEN YOU, YOUR VEHICLE AND THE NISSAN BRAND. THAT'S OUR PROMISE.

CUSTOMER EXPERIENCE

We promise to make your Nissan experience one to cherish, from your delivery day and everyday after, our commitment is to deliver a service experience you can trust - and believe in.

CUSTOMER SUPPORT

ROADSIDE ASSISTANCE
We keep you on the road 24/7. Should anything unexpected happen we guarantee you 24-hour roadside assistance, no matter the age of your Nissan, because it's still a Nissan. Just call **0800 NISSAN (46 77 26)** anywhere, anytime. Terms and Conditions do apply.

LICENCE RENEWAL REMINDER

We'll remind you in advance so you can keep your licence disk up to date.

3 YEAR OR 90 000KM SERVICE PLAN*

For the first 3 years or 90 000km of driving your car, whichever comes first, you can rest easy knowing that our promise to you is a kept one. We'll make sure your car is running smoothly and always on the road.

* Service Plan optional on NP300.

6 YEAR OR 150 000KM WARRANTY

As long as your car is under our warranty, we'll always have you covered if anything goes wrong. You don't need to stress for the first 6 years or 150 000km, whichever comes first.

SERVICE AND REPAIRS FREE VEHICLE HEALTH CHECK

We'll give your car a free health check on every major and minor service prior to any work being carried out, so you know exactly what needs to be done, and how much it will cost.

COMPETITIVELY PRICED PARTS

We deliver the highest care for your Nissan by fitting only Nissan Genuine Parts. The expertise of our Nissan trained teams will also guarantee best value-for-money by finding the most competitively priced part for your local dealer.

COURTESY CAR

We will arrange a courtesy car for all warranty repairs if your vehicle is in for more than 48 hours.



NISSAN ASSURED

More than a Promise

Call **0800 NISSAN (64 77 26)**
or visit www.nissan.co.za for more information.

YOUR WORK PLACE ON THE MOVE

Your business needs to perform in all conditions – and the Nissan NP300 HARDBODY has the power to rise to any challenge. With cabin comforts as standard and powerful engines that produce a surprisingly quiet ride, getting to where you need to be on time and conducting business on the move is easy.

The Nissan NP300 HARDBODY isn't simply a business tool; it's also a smart business investment, that proves that tough, capable and reliable coexist as it is built to last. With a slew of available comforts like aircon, remote keyless entry, power windows, door locks and mirrors this vehicle proves that tough can be comfortable.

Longer service intervals, extremely low fuel consumption and an economical total cost of ownership mean that the Nissan NP300 HARDBODY performs as well on the books as it does on the job, saving you both (down) time and money.

The unstoppable Nissan NP300 HARDBODY workhorse range, along with the versatile Nissan NP300 HARDBODY Hi-Rider range, are true assets to any business, large or small.





PROVING ITS WORTH

The Nissan NP300 HARDBODY is an unmistakable legend of the South African light commercial vehicle market. A thoroughbred workhorse, it continues to offer exceptional return on investment, delivering usable space and utility with ease and building on an already enviable reputation for getting the job done, whatever is asked of it.

Rugged build quality and engineering means the Nissan NP300 HARDBODY can take the most demanding surfaces in its stride. Brutal quality testing of its paintwork, by firing diamond chips at the exterior, along with E-coat antirust treatment, ensures it handles the toughest working conditions too, from flying gravel to extreme humidity.

No matter how tough the task, the Nissan NP300 HARDBODY delivers every time – safely and reliably.

VERSATILE BY NATURE

Enhanced power, safety and visibility, combined with essential cabin comforts like power windows, a tilt-adjustable steering column, ABS and dual airbags (standard on selected models) confirm the Nissan NP300 HARDBODY's resourceful spirit.

INSIDE

The interior finish includes cloth seats, front and rear headrests and a sliding rear window. Redesigned pillar seals ensure extra firm window closure for a quieter, dust-free interior with maximum protection against water seepage in wet conditions.

OUTSIDE

Designed to carry almost any load, the Nissan NP300 HARDBODY's reinforced load-box inner panels are grooved to enable the insertion of a board for separate front and rear loading sections, while a horizontal selected board can also be inserted to divide upper and lower loading decks. Oval tubing in the styled roof carrier on selected Double Cab models matches the side step style and is ideal for light recreational cargo.

Whatever questions are asked of the Nissan NP300 HARDBODY are immediately answered with confidence, power and reliability.



MEAN MACHINE

The Nissan NP300 HARDBODY's diesel engines are the result of a 50-year heritage of engineering expertise. So when it comes to reliability, power and performance, the second generation 2.5 litre common rail turbo diesel engine is as dependable and responsive as you can get. The potent combination of turbo and intercooler produces awesome power and torque and comes standard with a 5-speed manual transmission.

Quieter, with reduced vibration and carbon monoxide emissions, the Nissan NP300 HARDBODY diesel engines also use eco-friendly oil filter cartridges which can be completely incinerated after use, meaning they are environmentally responsible and hardworking.



THE TOTAL BUSINESS SOLUTION

The Nissan NP300 HARDBODY remains the indisputable choice of business partner in the commercial sector. Its solid heritage rests on well-proven mechanical underpinnings and design philosophies that encompass the essential functional systems required of today's business operations. The financial appeal of the Nissan NP300 HARDBODY is further enhanced by an aggressive list price and proven economical total cost of ownership.

The Nissan NP300 HARDBODY is not only a willing partner, but a sound investment for South African businesses – large or small.



SAFETY AND SECURITY FIRST

Nissan's industrious NP300 HARDBODY won't settle for second best and never compromises on safety or security. Features include:

Remote, keyless entry and central locking.

Standard in all Nissan NP300 HARDBODY Hi-Rider Double Cab models.

Immobiliser and personally coded ignition keys.

Standard on all Nissan NP300 HARDBODY models.

Solid ladder frame chassis. Absorbs the force of impact from the front.

Front Crumple zones. Minimise impact in the cabin.

Anti-lock Braking System (ABS). Standard on all Mid Grade, 4x4 and Hi-Rider models helps prevent your wheels from locking to help you steer around unexpected obstacles.



NISSAN DATADOT ANTI-THEFT IDENTIFICATION SYSTEM.

Since October 2006, all new Nissan vehicles are fitted with the Nissan DataDot anti-theft security feature as standard. The DataDot technology offers added peace of mind from a security perspective by providing your vehicle with its own unique DNA code. The Nissan DataDot sticker applied to the vehicle acts as a visual indication that the vehicle has been equipped with the anti-theft identification system, and is also a deterrent to would-be thieves.



SAFETY SHIELD

SAFETY SHIELD

In the commitment to "Real World Safety", Nissan pursues innovation as part of its Safety Shield concept. Based on the idea that cars should help protect people; advanced and proactive safety technologies help driver and passengers to avoid danger and injury.



COLOUR AND TRIM



White - QM1 (S)



Bright Silver - KYO (M)



Thermal Gold - K32 (M)



Techno Grey - KY5 (M)



Infinite Black - KH3 (S)*

* Special Order



Red - AX6 (S)*



Claret Red - AY4 (M)



Starling Blue - B16 (M)

TRIM OPTIONS



PVC



Cloth

RANGE



2WD and 4WD Double Cab HI-RIDER



2WD & 4WD Single Cab Mid Grade



2WD Single Cab Base Grade

Model	Single Cab								Double Cab		
	2.0 BASE	2.5 TDi BASE	2.0 MID	2.5 TDi MID	2.4 4x4	2.5 TDi 4x4	2.5 TDi HI-RIDER	2.4 HI-RIDER	2.4 HI-RIDER 4x4	2.5 TDi HI-RIDER	
Drive train	4x2	4x2	4x2	4x2	4x4	4x4	4x2	4x2	4x4	4x2	
Fuel type	Petrol	Diesel	Petrol	Diesel	Petrol	Diesel	Diesel	Petrol	Petrol	Diesel	
ENGINE											
Max power	kw@rpm	84 @ 5600	98 @ 3600	84 @ 5600	98 @ 3600	105 @ 5600	98 @ 3600	98 @ 3600	105 @ 5600	105 @ 5600	98 @ 3600
Max torque	Nm@rpm	169 @ 3200	304 @ 2000	169 @ 3200	304 @ 2000	205 @ 3600	304 @ 2000	304 @ 2000	205 @ 3600	205 @ 3600	304 @ 2000
Displacement	cc	1998	2488	1998	2488	2389	2488	2488	2389	2389	2488
Compression ratio		9.5:1	16.5:1	9.5:1	16.5:1	9.2:1	16.5:1	16.5:1	9.2:1	9.2:1	16.5:1
Fuel consumption	ℓ	10	8	9	8	11,1	9,4	8	11	11,7	8,8
CO ₂ emission	g/km	237	211	219	204	261	247	211	259	274	233
TRANSMISSION											
Gear ratios:	1st	3,985	3,58	3,985	3,58	3,592	3,58	3,58	3,592	3,592	3,58
	2nd	2,246	2,077	2,246	2,077	2,246	2,077	2,077	2,246	2,246	2,077
	3rd	1,415	1,36	1,415	1,36	1,415	1,36	1,36	1,415	1,415	1,36
	4th	1	1	1	1	1	1	1	1,000	1,000	1
	5th	0,821	0,76	0,821	0,76	0,821	0,76	0,76	0,821	0,821	0,76
Final drive ratio		4,556	3,7	4,556	3,7	4,675	4,625	3,7	4,825	4,625	3,7
Diff lock		N/A	N/A	N/A	N/A	Limited Slip	Limited Slip	N/A	N/A	Limited Slip	N/A
LOAD AND DIMENSIONS											
GVM	kg	2730	2730	2730	2730	2740	2740	2730	2730	2740	2730
GCM	kg	3980	4130	3980	4130	4140	4140	4140	4130	4140	4130
Tare	kg	1371	1490	1439	1522	1617	1716	1636	1635	1735	1725
Load capacity (GVM - Tare)	kg	1359	1240	1291	1208	1123	1024	1094	1095	995	1005
Tyre size		195 R14	195 R14	195 R15	195 R14	215 R15	215 R15	245/70 R16	245/70 R16	215/70 R15	245/70 R16
Wheels		14"	14"	15"	14"	15"	15"	16"	16"	15"	16"
Wheel finish		Steel	Steel	Steel	Steel	Steel	Steel	Alloy	Alloy	Steel	Alloy
Ground clearance	mm	180	180	210	180	225	225	240	240	225	240
Loadbox length	mm	2220	2220	2220	2220	2220	2220	2220	1425	1425	1425
Loadbox width	mm	1466	1466	1466	1466	1466	1466	1466	1390	1390	1390
Loadbox depth	mm	428	428	428	428	428	428	428	435	435	435
Fuel tank capacity	ℓ	75	75	75	75	75	75	75	75	75	75
Overall Length	mm	5175	5175	5175	5175	5170	5170	5170	5080	5080	5080
Width	mm	1690	1690	1690	1690	1825	1825	1825	1825	1825	1825
Height	mm	1620	1620	1620	1620	1695	1695	1725	1735	1695	1735
Wheelbase	mm	2950	2950	2950	2950	2950	2950	2950	2950	2950	2950
Front track	mm	1395	1395	1415	1395	1525	1525	1525	1530	1525	1525
Rear track	mm	1390	1390	1390	1390	1505	1505	1505	1525	1505	1505
Max towing capacity unbraked trailer	kg	686	745	750	750	750	750	750	750	750	750
Max towing capacity trailer with overrun brake	kg	1250	1400	1250	1400	1400	1400	1410	1400	1410	1400
Kerb to kerb (diameter)	m	11,2	11,2	11,2	11,2	12,0	12,0	12,0	12,0	12,0	12,0

LEGAL NOTICE
 Every effort has been made to ensure that the content of this brochure is correct at the time of going to print (March 2016). This brochure has been produced featuring prototype or accessorised vehicles exhibited at motor shows and, in accordance with the company's policy of continuously improving its products, Nissan South Africa reserves the right to change the specification and the vehicles described and shown in this brochure at any time. Nissan Dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan Dealer to receive the most up-to-date information. Due to the limitations of the printing processes used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim materials used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden. Quoted fuel consumption and emission values have been established using the prescribed method of measurement (United Nations Economic Commission for Europe "ECE" Regulation R101 in the current version) as required under current legislation. This data does not pertain to the specific vehicle and does not comprise part of the offer, but is supplied for the purpose of comparison between the various types of vehicles, in accordance with 1999/94/EC. Driving behaviour / conditions and other non-technical factors contribute towards a vehicle's fuel consumption and CO₂ emissions over and above the determined fuel efficiency of a vehicle.

Model	Single Cab								Double Cab		
	2.0 BASE	2.5 TDi BASE	2.0 MID	2.5 TDi MID	2.4 4x4	2.5 TDi 4x4	2.5 TDi HI-RIDER	2.4 HI-RIDER	2.4 HI-RIDER 4x4	2.5 TDi HI-RIDER	
SAFETY											
Driver and passenger airbags		N/A	N/A	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Safety belts: front seats		2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point plus lapbelt	2x3-point	2x3-point	2x3-point	2x3-point
Anti-locking Braking System (ABS)		N/A	N/A	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front crumple zones		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Halogen headlamps		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Ladder frame chassis		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Side door intrusion bars		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
INSTRUMENTS AND CONTROLS											
4-spoke steering wheel		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Power steering		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Rev counter		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
TRIM											
Floor cover		PVC	PVC	PVC	PVC	PVC	PVC	Carpet	Carpet	Carpet	Carpet
Seat material		PVC	PVC	PVC	PVC	PVC	PVC	Cloth	Cloth facings with leather bolsters	Cloth facings with leather bolsters	Cloth facings with leather bolsters
Roof trim		Durable Felt	Durable Felt	Durable Felt	Durable Felt	Durable Felt	Durable Felt	Material	Material	Material	Material
COMFORT AND CONVENIENCE											
Air conditioner		Optional	Optional	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front seat type		Bench	Bench	Bench	Bench	Bucket	Bucket	Bucket	Bucket	Bucket	Bucket
Room lamp		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Digital clock		Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Central locking with remote		N/A	N/A	N/A	N/A	N/A	N/A	Standard	Standard	Standard	Standard
Sliding rear window		N/A	N/A	N/A	N/A	N/A	N/A	Standard	Standard	Standard	Standard
Power windows		N/A	N/A	N/A	N/A	N/A	N/A	Standard	Standard	Standard	Standard
EXTERIOR											
Rear bumper		N/A	N/A	Tubular	Tubular	Tubular	Tubular	Styled aluminium	Styled aluminium	Styled aluminium	Styled aluminium
Over fenders		N/A	N/A	N/A	N/A	Black	Black	Body colour	Body colour	Body colour	Body colour
Styled roof rack carrier		N/A	N/A	N/A	N/A	N/A	N/A	N/A	Standard	N/A	Standard
Colour coded front bumper		N/A	N/A	N/A	N/A	N/A	N/A	Standard	Standard	Standard	Standard
Roll bar		N/A	N/A	N/A	N/A	N/A	N/A	Standard	Standard	Standard	Standard
SERVICE AND WARRANTY											
Service Intervals		15 000km	15 000km	15 000km	15 000km	15 000km	15 000km	15 000km	15 000km	15 000km	15 000km
Service Plan		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Warranty		6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km	6 year/ 150 000km

Optional equipment can result in an increase/decrease in the unladen weight and consequently affect the payload. Quoted payloads have been determined to allow for factory options or aftermarket solutions that are not accommodated in the standard delivery and services scope. The calculation of the actual payload of a vehicle is the difference between the gross vehicle mass and the curb mass and can only be determined by weighing the vehicle. Due to production tolerances/tyre sizes/type of running gear, the actual dimensions can differ slightly from the figures supplied in this brochure.



Nissan's commitment to the environment
 Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.

NISSAN'S commitment to quality: to provide all customers with a consistently high level of quality, Nissan applies the standard worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: 1. The expectation of a smooth driving experience with complete peace of mind. 2. The intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. 3. The level of attentiveness and service during the sales process, and long after the sale is concluded.

visit our website at: www.nissan.co.za

Phone us toll free on: 0800 NISSAN (647 726)

Follow Nissan on:

 /NissanSouthAfrica

 @Nissanza

MARCH 2017
BR17E-D22ZA0