

Температурная группа	T1	T2	T3	T4
Допустимая макс. температура	450	300	200	135

Таблица характеристик

Серия	Модель	Производительность (м ³ /ч)	Напор (м)	Частота вращения (об/мин)	Мощность (кВт)	КПД (%)	Диаметр (мм)	
1	10-15-1.5	10	15	3000	1.5	31	50	
2	15-16-1.5	15	16			32.5		
3	25-7-1.5	25	7			35.5		
4	15-22-2.2	15	22		2.2	36		
5	25-10-2.2	25	10			36		
6	35-7-2.2	35	7			38		
7	10-32-3	10	32		3	31		
8	15-25-3	15	25			31.5		
9	25-15-3	25	15			37		
10	40-12-3	40	12			41.5		65
11	52-7-3	52	7		41.5	80		
12	15-32-4	15	32		4	34.6		50
13	20-30-4	20	30			41		
14	25-22-4	25	22			37.8		
15	50-15-4	50	15			43.3		80
16	75-8-4	75	8			44		100
17	12-50-5.5	12	50		5.5	33		50
18	20-40-5.5	20	40			34		
19	30-30-5.5	30	30			44		
20	40-20-5.5	40	20			44.5		
21	70-15-5.5	70	15			45.8		80

22	100-10-5.5	100	10			52.5	100	
23	25-50-7.5	25	50			46.7	50	
24	30-36-7.5	30	36			44.5		
25	50-30-7.5	50	30		7.5	55		
26	75-20-7.5	75	20			55		80
27	100-15-7.5	100	15			55.3		100
28	145-10-7.5	145	10	3000	7.5	56.5		150
29	20-65-11	20	65			38.6	50	
30	40-40-11	40	40			46	80	
31	50-35-11	50	35			56		
32	80-20-11	80	20			56.5	100	
33	150-15-11	150	15			55.8	150	
34	200-10-11	200	10			57.5		
35	40-50-15	40	50			44	80	
36	60-35-15	60	35			45.3	100	
37	100-22-15	100	22			48.6		
38	170-18-15	170	18			56.5	150	
39	200-15-15	200	15			57		
40	300-10-15	300	10			58	200	
41	80-35-18.5	80	35			47	100	
42	100-30-18.5	100	30			48		
43	150-25-18.5	150	25			57.5	150	
44	250-15-18.5	250	15			59	200	
45	40-80-22	40	80			44	80	
46	60-50-22	60	50			45.8		
47	80-40-22	80	40			47		
48	150-30-22	150	30			59.3		150

49	200-20-22	200	20		30	60	
50	300-15-22	300	15			61	200
51	80-60-30	80	60			48.5	80
52	120-50-30	120	50			57.8	150
53	200-30-30	200	30			59	
54	300-20-30	300	20			61	200
55	400-15-30	400	15	30	63	200	
56	100-70-37	100	70	37	58.5	100	
57	150-45-37	150	45		62	150	
58	350-25-37	350	25		69.5	200	
59	500-15-37	500	15		72	250	
60	150-50-45	150	50	45	57	150	
61	400-25-45	400	25		66	200	
62	500-20-45	500	20		67	250	
63	600-15-45	600	15		69		
64	150-70-55	150	70	55	58	150	
65	200-50-55	200	50		59		
66	400-30-55	400	30		66.6	200	
67	500-25-55	500	25		68.3	250	
68	600-20-55	600	20		68.5		
69	200-70-75	200	70		58	150	
70	300-50-75	300	50	60.5	200		
71	400-40-75	400	40	67			
72	600-28-75	600	25	68	250		
73	800-20-75	800	20	69	300		
74	220-70-90	220	70	90	58.5	150	
75	300-60-90	300	60		62	200	

76	500-35-90	500	35		110	64	
77	900-20-90	900	20			70	300
78	400-60-110	400	60			69.8	200
79	600-40-110	600	40			70	250
80	700-32-110	700	32			71.5	
81	1000-25-110	1000	25			73	300
82	600-50-132	600	50	1500	132	70	200
83	500-60-132	500	60			69	
84	800-35-132	800	35			69.8	250
85	1000-30-132	1000	30			80	300
86	700-50-160	700	50			71.3	250
87	1000-35-160	1000	35	160	75	350	
88	1500-25-160	1500	25		76.5	400	
89	2000-20-160	2000	20		80		
90	800-50-185	800	50		185	72.3	250
91	1000-40-185	1000	40	73.8		300	
92	1500-30-185	1500	30	74.9		400	
93	2500-18-185	2500	18	81.4		500	
94	1200-40-200	1200	40	200	76	350	
95	1500-32-200	1500	32		77.4	400	
96	2000-25-200	2000	25		80		
97	3000-16-200	3000	16		79.8	500	