

# SPILL STATION AUSTRALIA



**Spill Response Kits**  
**Dangerous Goods Cabinets**  
**Accredited Training Programs**  
**IBC Containment**  
**Drum Handling**  
**Sediment Control**



**Bunded Spill Pallets**  
**Fast Acting Absorbents**  
**Stormwater Protection**  
**Biohazard Spill Kits**  
**Portable Bunding**  
**Signage and PPE**





Established in 1983, Spill Station Australia is an Australian owned company that is dedicated to the manufacture and supply of superior workplace safety and environment protection systems.

**SPILL  
STATION  
AUSTRALIA**



Our range of products and services has grown over these years to address the constantly evolving workplace safety and environment protection issues facing the Australian workplace.

Services such as **obligation-free spill risk assessments, spill response training and Spill Kit maintenance agreements** are also available to ensure rapid and effective spill response at all time.

Spill Station Australia has been at the forefront of assisting Government and Industry in solving environmental compliance issues for over 25 years and we are proud of the contributions we have made towards keeping Australia Beautiful.

We believe that this dedication to the highest quality workplace safety and environment protection products and services will ensure your best environmental outcomes.

### Absorbent Selector Chart

Liquid Type Absorbent	General Workshop Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>GENERAL PURPOSE</b>	✓	✓	✓	X
<b>HAZCHEM</b>	✓	✓	✓	✓
<b>OIL/FUEL</b>	X	✓	X	X

### It is now even easier to find the Spill Kit that is right for your site

**Step 1.** Find the types of liquids you have in the left hand column

**Step 2.** Find the size of your container or potential spill along the top row

**Step 3.** Find where the type of liquid and size of potential spill intersect.

**Step 4.** Match the colour code to the contents page and match the code to your kit

	0-20L	20-30L	30-50L	50-100L	100-190L	190-270L	270-400L	400-770L	770+
oil / fuel on land	TSS20GP	TSS32GP	TSS50W	TSS120GP	TSSWKS	TSS240GP	TSS240W	TSS660W	Custom
oil / fuel on water	TSS20W	TSS50W	TSS50W	TSS120W	TSSMK1	TSS240W	TSS240W	TSS660W	Custom
oil / fuel / coolant / herbicide / pesticide	TSS20GP	TSS32GP	TSS50EA	TSS120GP	TSSWKS	TSS240GP	TSS300EA	TSS660EA	Custom
acids / caustics	TSS20EA	TSS50EA	TSS50EA	TSS120EA	TSSDGK	TSS300EA	TSS300EA	TSS660EA	Custom
acid / caustic / oil / fuel / coolant / herbicide / pesticide	TSS20EA	TSS50EA	TSS50EA	TSS120EA	TSSDGK	TSS300EA	TSS300EA	TSS660EA	Custom

### WAIVER/DISCLAIMER

Used absorbent materials are only to be disposed of in accordance with local, State and Commonwealth laws or regulations. Liquids absorbed by Spill Station® Absorbents maintain the same properties and handling requirements as prior to the spill. Spill Station® products are sold or supplied in absence of any warranties implied on the appropriateness of the product for any particular purpose except as required by relevant government authorities. Information contained herein does not constitute a warranty on Spill Station® products in any form. Information contained herein are only an approximation and to be used only as a guide and are subject to change. Spill Station® and the Spill Station® logo are registered trademarks and cannot be used without express written permission. All other trademarks are the property of their respective owners. Spill Station® Australia Pty Ltd will not be liable for damages of any type either incidental or consequential that may arise out of the purchase, use, disposal or inability to use Spill Station® products.



## CONTENTS



5



19



28



40

General Purpose Spill Kits and Absorbents.....	4
Spill Kit Options and Accessories.....	7
Hazchem Spill Kits and Absorbents.....	8
Oil and Fuel Spill Kits & Absorbents.....	12
Laboratory & Medical Spill Control Equipment....	16
Spill Response Trailers & Custom Spill Kits.....	18
Quickbund Portable Bunding System.....	19
Drum and IBC Spill Containment Systems.....	20
Low-Profile Spill Containment Decks.....	24
Drum Handling & Decanting Equipment.....	26
Dangerous Goods Storage Cabinets.....	28
Drive-Over Bunding and Car Washpads.....	30
Stormwater Protection Equipment.....	31
Drip/Catchment Trays and Drum Overpacks.....	32
Bins, Trolleys and Carts.....	34
Spill Response Companion Equipment.....	35
Signage.....	36
Water Treatment & Filtration Equipment.....	37
PPE and Spill Clean Up Equipment.....	38
Concrete Bund Repair and Lining Service.....	39
Nationally Recognised Training Programmes.....	40



# Sukerup General Purpose Absorbents

	General Workshop Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>GENERAL PURPOSE</b>	✓	✓	✓	X

Because spills can happen anywhere, Spill Station Australia offer two types of General Purpose Absorbent so the absorbent you get is right for the job. Both are 100% natural, highly absorbent and free of harmful chemical residues.

## Sukerup Organic General Purpose Absorbent



Contains no harmful dust to ensure a safe spill cleanup.  
 Reduce clean up time and disposal costs by more than half.  
 One 50L bag absorbs as much as 4 x 20kg bags of "kitty litter".  
 A 50 litre bag will absorb up to 60 litres of spill.  
 Made from an annually renewable resource.  
 No chemical residues.  
 EPA approved.  
 Fast acting.



## General Purpose Spill Containment Booms



- OA50L** 50L Bag Sukerup Organic Absorbent
- OA15L** 15L Bag Sukerup Organic Absorbent

- SAU105** 1.5mx100mm GP Containment Boom
- MLB103** 3.0mx100mm GP Containment Boom

## Sukerup Mineral Sponge Granular Absorbent



Will not break down and become slippery when wet.  
 Available in workplace safe 10kg & 2.5kg bags.  
 Safer than clay based granules.  
 Liquids stay "locked inside".  
 Absorbs up to 50% more than "kitty litter"  
 Meets EPA requirements for solid waste disposal



- MS10** 10kg bag Super Absorbent Mineral Sponge
- MS250** 2.5kg bag Super Absorbent Mineral Sponge



# General Purpose Spill Response Kits

Spill Kit Colour Code	oil / fuel / solvent	herbicide / pesticide	coolant / general liquids	acids / caustics
<b>GENERAL PURPOSE</b>	✓	✓	✓	X

A free of charge Spill Kit training pack including demonstration DVD and PowerPoint presentation is available upon request with your Spill Kit purchase.



	<b>TSS240GP 270L GP Spill Kit</b>
50	480x430mm Hazchem Absorbent Pads
3	50 Litre Bag Sukerup GP Absorbent
4	1.5m x 75mm General Purpose Boom
2	3.0m x 75mm General Purpose Boom
10	Contaminated Waste Bags
2	Pair Oil Resistant Gloves
1	Weather Resistant Kit Cap
1	Adhesive Wall Locator
1	240 Litre Labelled Mobile Bin



Kit also available with wheels and fitted lock

	<b>TSS240LR Ergonomic GP Spill Kit</b>
50	480x430mm Hazchem Absorbent Pads
3	50 Litre Bag Sukerup GP Absorbent
4	1.5m x 75mm General Purpose Boom
2	3.0m x 75mm General Purpose Boom
10	Contaminated Waste Bags
2	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	220 Litre Labelled Lo-Rise Bin



	<b>TSS/WKS Workshop Spill Kit</b>
40	480x430mm Oil/Fuel Absorbent Pads
3	50 Litre Bags Sukerup GP Absorbent
1	3.0m x 75mm General Purpose Boom
2	1.5m x 75mm General Purpose Boom
2	General Purpose Absorbent Pillows
10	Contaminated Waste Bags
1	Pair Oil Resistant Gloves
3	Tamper Evident Seals
1	240 Litre Mobile Bin



# General Purpose Spill Response Kits



	TSS180GP All-In-One GP Spill Kit
50	480x430mm Hazchem Absorbent Pads
6	15 Litre Bag Sukerup GP Absorbent
2	3.0m x 75mm General Purpose Boom
2	1.5m x 75mm General Purpose Boom
5	XL Waste Bags
2	Pair Oil Resistant Gloves
1	PPE Kit / MSDS Sleeve
1	Sparkproof Shovel
1	Yard Broom
1	Adhesive Wall Locator
1	Labelled Poly Cart



	TSS120GP 100L GP Spill Kit
50	240x430mm Hazchem Absorbent Pads
1	50 Litre Bag Sukerup GP Absorbent
1	3.0m x 75mm General Purpose Boom
2	1.5m x 75mm General Purpose Boom
5	Contaminated Waste Bags
1	Pair Oil Resistant Gloves
1	Laminated Instruction Sheet
1	Weather Resistant Kit Cap
1	Adhesive Wall Locator
1	140 Litre Labelled Mobile Bin



	TSS32GP Vehicle GP Spill Kit
10	480x430mm Hazchem Absorbent Pads
1	15 Litre Bag Sukerup GP Absorbent
1	1.5m x 75mm General Purpose Boom
2	Contaminated Waste Bags
1	Pair Oil Resistant Gloves
1	Dustpan and Brush
1	Adhesive Wall Locator
1	Weather Resistant Zip-Top Bag



# Spill Response Kit Options

**CAUTION  
SPILL AREA**



Isolate the contaminated area effectively with hi-vis barrier tape. See page 36 for details.



Instantly repair punctured and leaking drums with Plugitup tank and drum repair putty. See page 35 for more details.

A wide range of bin colours and sizes are available. See page 34 for more details.

Tool racks for our spark-proof shovels and brooms can be fitted to your spill kit at no additional cost.



Tamper evident seals can be fitted to your new Spill Kit at no additional charge.

See page 38 for more information of our range of spill cleanup equipment such as these spark-proof shovels.



Front

Back

When responding to spills, personal protection is priority number 1. Stock you PPE/MSDS pouch with the PPE you need to stay safe. See page 38 for details.



Collapsible hi-vis traffic cones are available to cordon off the effected area day and night. See page 35 for more information.



Make you spill kit easy to find with our range of signs. See page 36.



# Hazchem Absorbents

Spill Station Hazchem Absorbents are made from polypropylene microfibres and have excellent chemical resistance and outstanding absorbent capabilities. This absorbent is suitable to use with most liquids including acids and caustics.

	General Workshop Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>HAZCHEM</b>	✓	✓	✓	✓

## Double Weight Hazchem Absorbent Pads

Turn liquids hazards into easily managed solids. Each pads can absorb up to 1.8 litres.



Item Code	Description	Size	Quantity
PAD305/10	Hazchem Absorbent Pads	480x430mm	10
PAD305/50	Hazchem Absorbent Pads	480x430mm	50
PAD305/100	Hazchem Absorbent Pads	480x430mm	100
PAD304/25	Hazchem Absorbent Pads	240x430mm	25



## Regular Weight Hazchem Absorbent Pads

When dealing with small spills of under 1 litre, the Regular Weight Pads can be a more cost effective option.

Item Code	Description	Size	Quantity
PAD306/50	Hazchem Absorbent Pads	480x430mm	50
PAD306/100	Hazchem Absorbent Pads	480x430mm	100
PAD306/200	Hazchem Absorbent Pads	480x430mm	200
PAD301/25	Hazchem Absorbent Pads	240x430mm	25



## Hazchem Absorbent Pad Dispenser Box

This handy absorbent pad dispenser box can be placed on a workbench or mounted on the wall.

Item Code	Description	Size
PAD30_40 6	Single-weight Pad Dispenser Box Containing 40 x Hazchem Pads	500x500x140mm
PAD30520	Double-weight Pad Dispenser Box Containing 20 x Hazchem Pads	500x500x140mm



# Hazchem Absorbents

## Regular Weight and Double Weight Hazchem Absorbent Blanket Rolls

Tear absorbent material to size required or roll out for fast coverage over large areas. See page 34 for EBR309 roll dispenser.



Item Code	Description	Size
EBR307	Double Weight Hazchem Absorbent Roll	46mx960mm
EBR308	Double Weight Hazchem Absorbent Roll	46mx480mm
EBR309	Regular Weight Hazchem Absorbent Roll	50mx500mm

## Hazchem Absorbent Booms

Absorbent Booms are an effective way to contain and divert spills on all hard surfaces.



Item Code	Description	Size	Quantity
EMB12100	Hazchem Absorbent Booms	1.2mx75mm	1
EMB12100/10	Hazchem Absorbent Booms	1.2mx75mm	10
EMB30100	Hazchem Absorbent Booms	3.0mx75mm	1
EMB30100/10	Hazchem Absorbent Booms	3.0mx75mm	10

## Hazchem Absorbent Pillows

Place under leaking drums and equipment to turn your liquid hazard into an easily managed solid.



Item Code	Description	Size	Quantity
EAP305/10	Hazchem Absorbent Pillows	250x450mm	10
EAP306/10	Hazchem Absorbent Pillows	450x450mm	10
EAP307/10	Hazchem Absorbent Pillows	350x450mm	10

## Hazchem Absorbent Drip Trays

Contain and absorb drips from taps when decanting from drums in a horizontal position.



Item Code	Description	Size	Quantity
CDT301	Hazchem Absorbent Drip Tray	275x275mm	1
EAP302/10	Replacement Drip Tray Pillows	250x250mm	10



# Hazchem Spill Response Kits

Spill Kit Colour Code	General Workshop Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>HAZCHEM</b>	✓	✓	✓	✓

Spill Station Hazchem Spill Kits are suitable for a wide range of acids, caustics, hydrocarbons and general liquids. See page 36 for signage options.



Absorbs up to **870 Litres**

Qty	TSS660EA 870L Hazchem Spill Kit
150	480x430mm Hazchem Absorbent Pads
1	46mx480mm Hazchem Absorbent Roll
10	3mx75mm Hazchem Absorbent Booms
10	1.2mx75mm Hazchem Absorbent Booms
20	Contaminated Waste Bags and Ties
2	800g Plugitup Repair Putty
4	Pair Neoprene Gloves
4	Disposable Overalls
4	Splash Goggles
1	Labelled 660L Bin w/ Lockable Wheels

Absorbs up to **400 Litres**



Qty	TSS300EA 400L Hazchem Spill Kit
150	480x430mm Hazchem Absorbent Pads
3	3mx75mm Hazchem Absorbent Booms
2	1.2mx75mm Hazchem Absorbent Booms
10	Contaminated Waste Bags and Ties
2	Pair Neoprene Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Kit Cap
1	Labelled Blue 240L Mobile Bin

Absorbs up to **205 Litres**



Qty	TSSDGK Dangerous Goods Spill Kit
100	480x430mm Hazchem Absorbent Pads
1	3mx75mm Hazchem Absorbent Booms
2	1.2mx75mm Hazchem Absorbent Booms
10	Contaminated Waste Bags and Ties
1	Pair Neoprene Gloves
1	Disposable Overalls
1	Splash Goggles
1	800g Plugitup Putty
3	Tamper Evident Seals
1	Labelled Blue 240L Mobile Bin



# Hazchem Spill Response Kits



Qty	TSS120EA 120L Hazchem Spill Kit
100	240x430mm Hazchem Absorbent Pads
1	3mx75mm Hazchem Absorbent Booms
2	1.2mx75mm Hazchem Absorbent Booms
5	Contaminated Waste Bags and Ties
1	Pair Neoprene Gloves
1	Adhesive Wall Locator
1	Weather Resistant Kit Cap
3	Laminated Instruction Sheet
1	Labelled Blue 140L Mobile Bin



Qty	TSS50EA 50L Hazchem Spill Kit
50	240x430mm Hazchem Absorbent Pads
3	1.2mx75mm Hazchem Absorbent Booms
2	Contaminated Waste Bags and Ties
1	Pair Neoprene Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Zip-Top Bag



Qty	TSS20EA 20L Hazchem Spill Kit
10	480x430mm Hazchem Absorbent Pads
1	1.2mx75mm Hazchem Absorbent Booms
1	Contaminated Waste Bags and Ties
1	Pair Neoprene Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Zip-Top Bag



Qty	TSSBSK Battery Acid Spill Kit
2	480x430mm Hazchem Absorbent Pads
1	1.2mx75mm Hazchem Absorbent Booms
1	7L Acid Neutralising Absorbent
1	Contaminated Waste Bags and Ties
1	Pair Neoprene Gloves
1	Splash Goggles
1	Laminated Instruction Sheet
1	Weather Resistant Zip-Top Bag



# Oil/Fuel Absorbents

	Water-based Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>OIL/FUEL</b>	<b>X</b>	<b>✓</b>	<b>X</b>	<b>X</b>

Spill Station Oil/Fuel Absorbents are made of melt-blown polypropylene micro-fibres. This super-absorbent material repels water and will absorb hydrocarbons off both land and water surfaces.



## Double Weight Oil/Fuel Absorbent Pads

Item Code	Description	Size	Quantity
PAD203/10	Oil/Fuel Absorbent Pads	480x430mm	10
PAD203/50	Oil/Fuel Absorbent Pads	480x430mm	50
PAD203/100	Oil/Fuel Absorbent Pads	480x430mm	100
PAD202/25	Oil/Fuel Absorbent Pads	240x430mm	25



## Regular Weight Oil/Fuel Absorbent Pads

Item Code	Description	Size	Quantity
PAD210/50	Oil/Fuel Absorbent Pads	480x430mm	50
PAD210/100	Oil/Fuel Absorbent Pads	480x430mm	100
PAD210/200	Oil/Fuel Absorbent Pads	480x430mm	200
PAD209/25	Oil/Fuel Absorbent Pads	240x430mm	25



## Oil/Fuel Absorbent Pad Dispenser Box

Item Code	Description	Size
PAD21040	Single-weight Pad Dispenser Box Containing 40 x Oil/Fuel Pads	500x500x140mm
PAD20320	Double-weight Pad Dispenser Box Containing 20 x Oil/Fuel Pads	500x500x140mm



## Oil/Fuel Absorbent Blanket Rolls

Item Code	Description	Size
BR202	Double Weight Oil/Fuel Absorbent Roll	46mx960mm
BR215	Regular Weight Oil/Fuel Absorbent Roll	50mx1m
BR211	Regular Weight Oil/Fuel Absorbent Roll	50mx500mm



# Oil/Fuel Absorbents

## Oil/Fuel Absorbent Land Booms

Suitable for containing spills of oils, fuels and other hydrocarbons on land.



Item Code	Description	Size	Quantity
WMB12100	Oil/Fuel Absorbent Boom	1.2mx75mm	1
WMB12100/10	Oil/Fuel Absorbent Boom	1.2mx75mm	10
WMB30100	Oil/Fuel Absorbent Boom	3.0mx75mm	1
WMB30100/10	Oil/Fuel Absorbent Boom	3.0mx75mm	10

## Floating Oil/Fuel Absorbent Booms

Suitable for containing spills of oils, fuels and other hydrocarbons on water surfaces.



Item Code	Description	Size	Quantity
FB222/4	Floating Oil/Fuel Boom	3.0mx125mm	4
FB201/4	Floating Oil/Fuel Boom	3.0mx200mm	4
FB214/2	Floating Oil/Fuel Boom	6.0mx200mm	2

## Oil/Fuel Absorbent Drip Tray

Collect incidental drips from under oil and fuel dispensing taps and turn them into an easily managed solid instantly. Perfect for use with the Mobile Dispensing Unit (page 26)



Item Code	Description	Size	Quantity
HDT201	Oil/Fuel Absorbent Drip Tray	275x275mm	1
DB202/10	Drip Tray Replacement Pillow	250x250mm	10

## Oil/Fuel Absorbent Pillows

Suitable for placing under machinery and drums leaking oils and fuels. The DB207 pillow repels water and has a tether-ring to secure in drain pits and boat bilges.



Item Code	Description	Size	Quantity
DB205/10	Oil/Fuel Absorbent Pillow	250x450mm	10
DB206/10	Oil/Fuel Absorbent Pillow	450x450mm	10
DB207/10	Oil/Fuel Absorbent Pillow	350x450mm	10



# Oil/Fuel Spill Control Kits

The absorbents in Spill Station Oil/Fuel Spill Control Kits repel water and waterbased liquids and absorb oil, fuels and other hydrocarbons.

These spill kits contain no loose absorbent so brooms and shovels are not needed for spill cleanup.

Spill Kit Colour Code	Water-based Liquids	Oil / Fuel / Solvent	Herbicide / Pesticide	Acids / Caustics
<b>OIL/FUEL</b>	<b>X</b>	<b>✓</b>	<b>X</b>	<b>X</b>



Absorbs up to **770 Litres**

Qty	TSS660W 770L Oil/Fuel Spill Kit
150	480x430mm Oil/Fuel Absorbent Pads
1	46mx480mm Oil/Fuel Absorbent Roll
10	3mx75mm Oil/Fuel Absorbent Booms
10	1.2mx75mm Oil/Fuel Absorbent Booms
20	Contaminated Waste Bags and Ties
2	800g Plugitup Repair Putty
4	Pair Oil Resistant Gloves
4	Disposable Overalls
4	Splash Goggles
1	Labelled 660L Bin w/ Lockable Wheels



Absorbs up to **400 Litres**

Qty	TSS240W 400L Oil/Fuel Spill Kit
150	480x430mm Oil/Fuel Absorbent Pads
3	3mx75mm Oil/Fuel Absorbent Booms
2	1.2mx75mm Oil/Fuel Absorbent Booms
10	Contaminated Waste Bags and Ties
2	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Kit Cap
1	Labelled Red 240L Mobile Bin



Absorbs up to **190 Litres**

Qty	TSSMK1 190L Marine Spill kit
1	46mx480mm Oil/Fuel Absorbent Roll
10	480x430mm Oil/Fuel Absorbent Pads
2	3mx125mm Floating Absorbent Booms
10	Contaminated Waste Bags and Ties
2	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
3	Tamper Evident Seals
1	Weather Resistant Kit Cap
1	Labelled Red 240L Mobile Bin



# Oil/Fuel Absorbent Spill Kits

Flammable goods storage on page 28.

See page 7 for spill kit and signage options.

Eyewash and fire extinguisher details on page 35.



Qty	TSS120W 120L Oil/Fuel Spill Kit
100	240x430mm Oil/Fuel Absorbent Pads
1	3mx75mm Oil/Fuel Absorbent Booms
2	1.2mx75mm Oil/Fuel Absorbent Booms
5	Contaminated Waste Bags and Ties
1	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Kit Cap
1	Labelled Red 140L Mobile Bin



Qty	TSS50W 50L Oil/Fuel Spill Kit
50	240x430mm Oil/Fuel Absorbent Pads
3	1.2mx75mm Oil/Fuel Absorbent Booms
2	Contaminated Waste Bags & Ties
1	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Zip-Top Bag



Qty	TSS20W 20L Oil/Fuel Spill Kit
10	480x430mm Oil/Fuel Absorbent Pads
1	1.2mx75mm Oil/Fuel Absorbent Booms
1	Contaminated Waste Bags & Ties
1	Pair Oil Resistant Gloves
1	Adhesive Wall Locator
1	Laminated Instruction Sheet
1	Weather Resistant Zip-Top Bag



# Laboratory & Medical Equipment



Qty	ZTSSBHS Bio-Hazard Spill Kit
1	500ml Bio Hazard Absorbent Powder
1	100ml Bottle Clinical Detergent
1	Face Mask & Eye Shield
1	Scoop and Scraper
1	Disposable Gloves
1	LDPE Disposable Apron
2	Clinical Waste Bags & Ties
1	Hygienic Skin Wipes



Qty	ZTSSCBF Cytotoxic Body Fluid Spill Kit
1	2.5L Bio Hazard Absorbent Powder
1	100ml Bottle Clinical Detergent
1	Face Mask & Eye Shield
1	Scoop and Scraper
1	Disposable Gloves
1	Protective Gown
2	Cytotoxic Waste Bags
1	Overshoes and Haircap
1	Labelled 10L Pail with Instructions



Qty	ZTSSMER Mercury Spill Kit
2	Mercury Absorbent Sponges
1	Mercury Amalgam Granules
1	Mercury Disposal Bag
1	Scoop and Scraper
1	Disposable Gloves
1	Safety Glasses
1	Labelled Kit Bag



Qty	ZTSSSDK Sharps Collection Kit
1	Medical Sharps Waste Container
1	Disposable Forceps
1	Clinical Waste Bag
1	Scoop and Scraper
1	Disposable Gloves
1	Hygienic Skin Wipes
1	Step-by-step Instructions



# Custom Spill Kits



## Compact Spill Kits



Over 20 years ago, the Australian Defence Forces approached Spill Station to design Spill Kits to meet the challenging environments in which they operate.

If your needs are not met by our standard range, we can customise our Spill Kits to address your requirements.

Variations include:

- ▼ Size or type of Spill Kit container.
- ▼ House branding.
- ▼ Specific spill response capacity.
- ▼ Spill Kit components to your specifications.
- ▼ Spill Kits to suit your workplace environment.

## Mid-Size Spill Kits



## Spill Response Trailers

Because the needs of our spill trailer customers and the environments they operate in are so diverse, each spill trailer is customised to provide the best outcome.

Our customers include:

- ▼ Mine sites
- ▼ Power generators
- ▼ Transport companies
- ▼ Local Government





# Laboratory & Medical Equipment



Qty	ZTSSLAB Laboratory Spill Kit
1	2.5L Multi Purpose Absorbent Powder
4	Disposal Bags
4	Cleaning Cloths
4	Pair Disposable Gloves
2	Face Mask & Eye Shield
2	Disposable Apron
2	Scoop and Scraper
1	Labelled 10L Pail



## Multi-Purpose Indoor Absorbent

Quickly absorbs body fluids, acids, caustics, oxidizers, hydrocarbons and toxic liquids. Absorbs odours and suppresses vapors. Not suitable for hydrofluoric acid.

Item Code	Description	Size
BW250	Multi-Purpose Indoor Absorbent	2.5 Litre
BW050	Multi-Purpose Indoor Absorbent	500ml



## Medical Waste Bags & Bin

When disposing of clinical and cytotoxic waste, it must be deposited into correctly labelled and colour-coded bags to ensure it is safely contained and disposed of in the correct waste stream.

Item Code	Description	Size	Quantity
X-CWB/10	Clinical Waste Bag	320x460mm	10
X-TWB/10	Cytotoxic Waste Bag	500x650mm	10
X-BINMED	Medical Waste Bin	50 Litre	1



## Safepour Decanting Cradle

Recommended by Worksafe, Safety Institute and Back Watch NSW.

Suitable for round and square 15-25 litre metal and plastic drums. Assembly required.

Item Code	Description	Size
SP15PC	Safepour Drum Decanting Cradle for 15-25L Drums	403x700 925(H)mm



# Spill Containment Pallets



- ▼ Designed for safe and compliant storage of 4x205L drums.
- ▼ Made from 100% corrosion free polyethylene.
- ▼ Two-way forklift access for loaded Spill Pallets.
- ▼ EPA compliant sumps in all Spill Pallets.
- ▼ Rain covers and ezy-load ramps are also available.

TSSPB4L 4-Drum Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
1280mm	1280mm	275mm	35kg	230 Litre	1250kg



- ▼ Huge 410 litre sump for storage of containers up to 372L.
- ▼ Solid polyethylene construction for heavy loads.
- ▼ Suitable for up to 4 x 205L drums.
- ▼ Drain plugs come standard with all spill pallets.
- ▼ Forkliftable when fully loaded.

TSSBP4 4-Drum XL Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
1310mm	1310mm	370mm	44kg	410 Litre	1250kg



- ▼ Designed for safe and compliant storage of 3x205L drums.
- ▼ Seamless construction eliminates leaks.
- ▼ Meets EPA sump requirements.
- ▼ Broadband chemical resistance including acids & caustics.

TSSBP3 3-Drum Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
1785mm	780mm	240mm	35kg	228 Litre	900kg



- ▼ Designed for safe and compliant storage of 2x205L drums.
- ▼ Made from 100% corrosion free seamless polyethylene.
- ▼ Two-way forklift access for loaded Spill Pallets.
- ▼ EPA compliant sumps in all Spill Pallets.
- ▼ Rain covers and ezy-load ramps are also available.

TSSBP2 2-Drum Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
1220mm	820mm	330mm	26kg	240 Litre	650kg



# Quickbund Portable Bunding

The Australian made Quickbund Portable Bunding System provides a safe and secure area for dealing with a wide range of liquids including acids, caustics, oils & fuels.

Manufactured from heavy duty XR-5, the high-frequency welded seams ensure no leaking and provide maximum strength.

The fold down walls allow for vehicle, hand truck and pallet jack access.

The Quickbund can be erected in seconds without the need for tools. Simply position and unfold.

Because it is so lightweight and portable, the Quickbund is ideal for all field applications.

The Quickbund can also be built to your specifications.



Unique fold-down wall allows vehicle, pallet jack and hand trolley access.

Quickbund Portable Bunding				
Item Code	Dimensions	Capacity	Pack Size	Weight
TSSQB1	1.9x1.9x0.3m	1,000L	600x700x100mm	10kg
TSSQB2	2.5x2.5x0.3m	2,000L	700x700x100mm	20kg
TSSQB3	4.1x2.5 x0.3m	3,000L	700x700x150mm	26kg
TSSQB4	3.2x1.9x0.3m	1,800L	700x700x100mm	19kg
TSSQB5	3.2x3.2x0.3m	3,000L	700x700x150mm	26kg
TSSQB6	8.5x4.5x0.3m	11,400L	800x900x300mm	67kg
TSSQB7	10x5x0.3m	15,000L	800x900x350mm	75kg
TSSQB8	15x5.5x0.3m	24,700L	800x900x400mm	86kg
TSSQB9	5x5x0.3m	7,500L	700x800x200mm	45kg
TSSQB10	4.1x4.1x0.3m	5,000L	700x700x150mm	32kg



Used by Defence for over a decade.



Remote pump and generator bunding.



# Spill Containment Pallets



- ▼ Lockable handle and side latches for secure storage.
- ▼ Gas struts for easy lowering and opening of the lid.
- ▼ Move with pallet jack or forklift when fully loaded.
- ▼ EPA compliant sumps in all Spill Pallets.
- ▼ Seamless polyethylene construction for extra strength.
- ▼ Excellent broadband chemical resistance.

TSSCP2 Hardcover 2-Drum Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
1630mm	940mm	1420mm	95kg	260 Litre	600kg



- ▼ Designed for storage of 1 x 205L drum.
- ▼ Small footprint for compliant storage in small areas.
- ▼ Removable grate makes decontamination easy.
- ▼ Drainplugs are a standard feature.
- ▼ Polyethylene construction for extra durability.

TSSBP1 1-Drum Spill Pallet					
Length	Width	Height	Weight	Sump	Max. Load
900mm	700mm	525mm	22kg	225 Litre	300kg



## Spill Pallet Covers

- ▼ Protect the sump and the load from rainwater.
- ▼ Available for all sizes of Spill Pallets
- ▼ Welded seams and heavy-duty PVC prevents leakage.
- ▼ Shockcord elastic keeps the cover in place.
- ▼ Fast and easy to remove and replace the cover.



## Spill Pallet Ramps

Item Code	Length	Width	Height	Weight	Max. Load
TSSBP2R	1740mm	1000mm	330mm	36kg	300kg
TSSBP4R	1740mm	1000mm	240mm	33kg	300kg

These spill pallet ramps are made from tough polyethylene and are suitable to use with 2-Drum, 3-Drum and 4-Drum Spill Pallets.



# Spill Containment Pallets



Easy forklift access to stored pallets

- ▼ Turn standard pallet racking into bunded racking.
- ▼ Prevent contamination of goods stored below.
- ▼ Drain plugs fitted for easy removal of spilled liquids.
- ▼ Utilises the "dead space" between the beams.
- ▼ Designed to provide easy access to pallets.
- ▼ 100% polyethylene for broadband chemical resistance.

TSSRB1 Pallet Racking Bund					
Length	Width	Height	Weight	Sump	Max. Load
1280mm	1280mm	245mm	25kg	220 Litre	1450kg



- ▼ Designed to hold 1 x IBC (1000L) tank.
- ▼ Huge 1100L sump complies with EPA requirements.
- ▼ Drain plugs fitted for easy removal of spilled liquids.
- ▼ Seamless design for maximum sump security.
- ▼ Tough polyethylene construction for maximum durability.
- ▼ Dispensing wells, IBC funnels and covers also available.

TSSBB1 Single IBC Spill Containment Unit					
Length	Width	Height	Weight	Sump	Max. Load
1760mm	1350mm	710mm	107kg	1100 Litre	1500kg



- ▼ Attaches securely to any position around TSSBB1.
- ▼ Directs any overflow back into the bund sump.
- ▼ Big enough to hold 25 litre drums for safe decanting.

TSSBB1T Dispensing Well For TSSBB1				
Length	Width	Height	Weight	Sump
550mm	545mm	855mm	8.5kg	86 Litre



- ▼ Designed for 2 x IBC (1000L) tank or 8 x 250L drums.
- ▼ Huge 1140L sump exceeds EPA requirements.
- ▼ Drain plugs and removable grates for easy clean up.
- ▼ Robust & chemically resistant polyethylene construction.
- ▼ Dispensing wells, IBC funnels and covers also available.

TSSBB2 Dual IBC Spill Containment Unit					
Length	Width	Height	Weight	Sump	Max. Load
2560mm	1350mm	510mm	136kg	1140 Litre	2500kg



# Spill Containment Pallets



- ▼ Attaches securely to any position around TSSBB2.
- ▼ Directs overflow back into the Spill Pallet sump.
- ▼ Big enough to hold 25 litre drums for safe decanting.

TSSBB2T Dispensing Well For TSSBB2				
Length	Width	Height	Weight	Sump
530mm	510mm	560mm	4kg	86 Litre



- ▼ Large diameter for easy decanting into IBCs.
- ▼ Avoid spills and keep the area free of slip hazards.
- ▼ Available with or without hinged lid.
- ▼ Tough polyethylene construction for maximum durability.

IBC Funnel			
Item Code	Description	Diameter	Weight
TSSDF200	IBC Funnel With Lid	640mm	5kg
TSSDF200-Z	IBC Funnel Without Lid	640mm	4kg



- ▼ Designed for use with TSSBB1 & TSSBB2 Spill Pallets.
- ▼ Protect the load and sump from rainwater.
- ▼ Safely store IBCs in outdoor locations.
- ▼ Elastic shock cord keeps the cover in place.
- ▼ Made from heavy-duty coated PVC.

IBC Spill Containment Unit Cover	
Item Code	Description
TSSBB1C	Single IBC Spill Containment Unit Cover
TSSBB2C	Dual IBC Spill Containment Unit Cover



- ▼ Designed to cover a standard IBC (1000L) tank.
- ▼ Directs splatter and trajectory spill back to the sump.
- ▼ Clear front in order to easily identify the IBC contents.
- ▼ Welded seams to prevent leakage.
- ▼ Rope ties keep the cover in place in all conditions.

IBC Splatter Guard	
Item Code	Description
TSSIBCPCCF	Clear Front IBC Tank Splatter Guard



# Floorbund Spill Decking



The Floorbund Spill Deck is built tough and comes in three sizes. These Spill Decks can be configured to create non-slip bunded liquid handling workstations and storage areas to fit your working environment.

Two sizes of ramps are available to make loading the Spill Deck with pallet jacks and hand trolleys easy.



- ▼ Ideal for small decanting or waste oil collection point.
- ▼ Low profile for ease of loading.
- ▼ Can be fitted with drain plugs if required.
- ▼ Seamless design for maximum sump security.
- ▼ Tough polyethylene construction for maximum durability.
- ▼ Removable non-slip grates makes cleaning easy.

**TSSBF2 2-Drum Spill Deck**

Length	Width	Height	Weight	Sump	Max. Load
1260mm	860mm	150mm	20kg	150 Litre	1000kg



- ▼ Designed to hold 4 x 205 litre drums.
- ▼ Huge 300L sump complies with EPA requirements.
- ▼ Drain plugs available for easy removal of spilled liquids.
- ▼ Seamless design for maximum sump security.

**TSSBF4 4-Drum Square Spill Deck**

Length	Width	Height	Weight	Sump	Max. Load
1660mm	1260mm	150mm	40kg	300 Litre	2000kg



# Floorbund Spill Decking



- ▼ Designed to hold 4 x 205 litre drums.
- ▼ Low profile for ease of loading.
- ▼ Can be fitted with drain plugs if required.
- ▼ Seamless design for maximum sump security.
- ▼ Corrosion-free polyethylene construction.

TSSBF4S 4-Drum In-line Spill Deck					
Length	Width	Height	Weight	Sump	Max. Load
2610mm	895mm	150mm	48kg	300 Litre	2000kg



- ▼ Ideal for small decanting or liquid collection area.
- ▼ Low profile for ease of loading.
- ▼ Can hold up to 10 x 25 litre containers.
- ▼ Seamless design for maximum sump security.
- ▼ Polyethylene construction for maximum durability.

TSSBF1 1-Drum Floorbund					
Length	Width	Height	Weight	Sump	Max. Load
920mm	720mm	175mm	15kg	100 Litre	300kg



- ▼ Ideal for confined areas requiring ramp access.
- ▼ Ramp attaches to spill deck for extra stability.
- ▼ Moulded grips reduce slippage.
- ▼ Tough single piece moulded polyethylene.
- ▼ Not suitable for 1-Drum Floorbund.

TSSBFR Compact Spill Deck Ramp				
Length	Width	Height	Weight	Max. Load
650mm	800mm	165mm	9kg	300kg

- ▼ Gentle incline for heavier loads.
- ▼ Suitable for hand trolley and pallet jack.
- ▼ Raised moulded grips to reduce slippage.
- ▼ Seamless design for maximum sump security.
- ▼ Polyethylene construction for maximum strength.

TSSBFR2 Large Spill Deck Ramp				
Length	Width	Height	Weight	Max. Load
1740mm	1000mm	160mm	28kg	900kg





# Drum Handling & Decanting



- ▼ Safely move 205L drums from vertical to horizontal.
- ▼ Genuine single person operation. No forklift required.
- ▼ Lockable 3rd wheel for easy manoeuvring.
- ▼ Single piece moulded polyethylene with 230L sump.
- ▼ Double ratchet straps for extra load security.

**TSSBT230 Mobile Dispensing Station**

Length	Width	Height	Weight	Sump	Max. Load
1600mm	740mm	640mm	44kg	230 Litre	300kg



- ▼ Decant from 205 litre drums in a safe banded area.
- ▼ Prevent slip hazards associated with decanting areas.
- ▼ Huge 400L sump makes recovering spilled liquids easy.
- ▼ Seamless design for maximum sump security.
- ▼ Racker (base unit) and Stacker sold separately.

**TSSDB4 Poly Racker**

Length	Width	Height	Weight	Sump	Max. Load
1390mm	1250mm	490mm	50kg	400 Litre	1250kg

**TSSDBC Poly Stacker**

Length	Width	Height	Weight	Max. Load
1240mm	795mm	370mm	25kg	600kg



- ▼ Very stable cradle for decanting horizontal 205L drums.
- ▼ Slightly sloped to allow maximum removal of liquids.
- ▼ made from polyethylene for excellent chemical resistance.
- ▼ Can be used in conjunction with spill pallets and Maxitray.
- ▼ Single piece rotomoulded construction for extra strength.

**TSSSBS Single Drum Cradle**

Length	Width	Height	Weight	Max. Load
730mm	875mm	765mm	10kg	300kg



- ▼ Ideal for mobile fluid collection and vertical dispensing.
- ▼ Avoid spills by taking your drum to the job.
- ▼ Collect incidental spills and prevent slip hazards.
- ▼ \*Overall sump height 255mm for ease of loading.
- ▼ Sturdy handle and rotating lockable castors.

**TSSPDDH Poly Drum Dolly**

Length	Width	Height	Weight	Sump	Max. Load
725mm	725mm	990mm*	15.5kg	30 Litre	300kg



# Drum Handling & Decanting

## Poly Drum Funnel



- ▼ Perfect solution for waste oil collection point.
- ▼ Large stable surface area allows for controlled pouring.
- ▼ Drain containers and oil filters before disposal.
- ▼ Available with or without the hinged lid.
- ▼ Tough polyethylene construction for maximum durability.

TSSDF1 Poly Drum Funnel		
Diameter	Height	Weight
610mm	230mm	4kg

## Drum Topper



- ▼ Prevent corrosion of drums stored outside.
- ▼ Locks onto the drum but is easily removed when required.
- ▼ Slanted lid prevents buildup of rainwater.
- ▼ Made of UV stabilised polyethylene.

Item Code	Description	Size
TSSDL2	Secure Polyethylene 205L Drum Lid	630(dia)x160(H)mm

## Drum Grab



- ▼ SWL of 1 tonne (AS4991 2004 Lifting devices).
- ▼ Genuine single person operation. Attaches in seconds.
- ▼ Suitable for use with all steel drums and most plastic drums.
- ▼ Can lift drums from and lower to both horizontal and vertical.
- ▼ Winner of the New Inventors Judges & Peoples Choice Award

Item Code	Description	SWL
TSSDGT	Drum Grab Drum Lifting Device	1000kg

## Multi Lifter



- ▼ Designed to safely move both open and closed top drums.
- ▼ Positive lock-on feature leaves the operator to control loading.
- ▼ Ideal for loading the Drum Dolly, Overpack and 1-Drum Tray.
- ▼ Comes fitted with chain and head ring.
- ▼ Safe working load of 500kg.

Item Code	Description	SWL
TSSSPDL	Open & Closed Top Drum Lifter	500kg



# Flammable Liquid Storage Cabinets



BCFLS30L



BCFLS100L



BCFLS160L



BCFLS60L



BCFLS250LEC



BCFLS250



BCFLS250E



BCFLS250LHD

The Spill Station Australia range of Flammable Goods Cabinets are Australian Made and built to comply with the Australian Standard AS1940-2004 for the storage of flammable and combustible liquids.

- ▼ All cabinets comply with AS1940-2004.
- ▼ Designed for use with all Class 3 liquids.
- ▼ 3-points self latching facility.
- ▼ Ventilation ports with built-in flame arrestors.
- ▼ Cabinets come with all required signage attached.
- ▼ Full instructions attached to the inside of the door.
- ▼ Continuous piano hinge ensuring smooth door closure.
- ▼ Perforated adjustable shelves direct leakage to the sump.
- ▼ Built-in ground connector.
- ▼ Baked enamel lead-free finish eliminates corrosion.
- ▼ Sequentially closing doors.
- ▼ Made from double skin 1.2mm zinc coated steel.



## Flammable Liquid Storage Cabinet

Item Code	Description	Capacity (Litre)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCFLS30L	Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles	30	800	505	460	53
BCFLS60L	Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles	60	1065	505	460	62
BCFLS100L	Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles	100	800	920	615	100
BCFLS160L	Metal, 2 Door, 2 Shelf, 6 x 20L Cans	160	1295	1100	460	138
BCFLS250L	Metal, 2 Door, 3 Shelf, 9 x 20L Cans	250	1825	1100	500	187
BCFLS250LE	Metal, 1 Door, 3 Shelf, 12 x 20L Cans	250	1825	760	830	196
BCFLS250LEC	Metal, 2 Door, 3 Shelf, 12 x 20L Cans	250	1825	1430	580	229
BCFLS250LVD	Metal, 1 Door for 205L Drum Vertical	205	1760	840	795	180
BCFLS250LHD	Metal, 1 Door for 205L Drum Horizontal	205	1435	820	1240	170



# Corrosive & Toxic Substance Cabinets



BCCLS30L



BCCLS100L



BCCLS60



BCCLS160L



BCCLS250L

Built from highest quality Australian materials, these Corrosive Substance Storage Cabinets are designed to comply with Australian Standard AS3780-1994.



- ▼ Designed for use with Class 8 liquids as defined in the ADG Code.
- ▼ Baked enamel finish inside and out eliminates corrosion.
- ▼ 3-points self latching facility. Capable of being opened from inside.
- ▼ Ventilation ports with built-in flame arrestors.
- ▼ Cabinets come with all required signage attached.
- ▼ Fully adjustable shelves with corrosion resistant polyethylene trays.

## Corrosive Substance Storage Cabinet

Item Code	Description	Capacity (Litre)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCCLS30L	Metal, 1 Door, 1 Shelf, 6 x 2.5L Bottles	30	800	505	460	53
BCCLS60L	Metal, 1 Door, 2 Shelf, 12 x 2.5L Bottles	60	1065	505	460	62
BCCLS100L	Metal, 2 Door, 1 Shelf, 15 x 2.5L Bottles	100	800	920	615	100
BCCLS160L	Metal, 2 Door, 2 Shelf, 6 x 20L Drums	160	1295	1100	460	138
BCCLS250L	Metal, 2 Door, 3 Shelf, 9x 20L Drums	250	1825	1100	500	187

- ▼ All Toxic Substance Cabinets comply AS4452:1997.
- ▼ Designed for use with all Class 6.1 substances.
- ▼ Self closing 3-point self latching doors.
- ▼ Fully welded 150mm liquid tight sump in all cabinets.
- ▼ Cabinets come ready to use with all required signage attached.



## Toxic Substance Storage Cabinet

Item Code	Shelves	Capacity (Litre)	Height (mm)	Width (mm)	Depth (mm)	Weight (kg)
BCTSS30L	1	30	800	505	460	53
BCTSS60L	2	60	1065	505	460	62
BCTSS100L	1	100	800	920	615	100
BCTSS160L	2	160	1295	1100	460	138
BCTSS250L	3	250	1825	1100	500	187





# Mobile Car & Truck Washpad



- ▼ Compliance made cost-effective and easy to use.
- ▼ Perfect for mobile vehicle washdown and detailing.
- ▼ Folds down to 600x800x350mm
- ▼ Foam ends allow for drive through applications.
- ▼ Constructed from heavy-duty coated PVC.
- ▼ Can be made to any size required.

Item Code	Description	Size	Weight
TSSWPS	Car & Truck Washpad	6mx3mx100mm	20kg



- ▼ Simply attach to 12v battery and flick the switch.
- ▼ Self-contained pump include 2m of hose.
- ▼ Battery not included.

Item Code	Description	Flow Rate
TSSBBP	Self-contained Washpad Pump	15L/min

# Drive-Over Bunding



- ▼ Eliminate spill from forklifts caused by rigid bunding.
- ▼ Compresses to minimise movement of forklift loads.
- ▼ Springs back to shape after vehicle passes.
- ▼ Cost-effective D.I.Y retrofit bunding.
- ▼ Can be driven over after 24 hours.
- ▼ Ideal for bunding across pedestrian and roller doors.
- ▼ Constructed from coated PVC and 100% memory foam.
- ▼ Compresses to minimise movement of forklift loads.
- ▼ Each Drive-over Bunding Kit contains:
  - 220mm x 75mm(H) Bunding
  - PVC Adhesive
  - Masonry Anchors
  - Sikatank Sealant
  - Aluminium Reinforcing Flatbar
  - Step-by-Step Instructions

Item Code	Description
TSSDOB10	10 metre Drive-over Bunding Kit
TSSDOB5	5 metre Drive-over Bunding Kit
TSSDOB2	2 metre Drive-over Bunding Kit
TSSDOBC	Corner Section Drive-over Bunding Kit



# Stormwater Protection

## Stormwater Drain Seal



See page xx for signage options

- ▼ Cover critical drains and keep spill onsite.
- ▼ Designed to be deployed by a single worker.
- ▼ Includes hi-vis bag and wall mounted storage hook.
- ▼ Adheres to drain surround for maximum seal.
- ▼ Wash with soap & water and reuse.
- ▼ Manufactured from chemically resistant PVC.

Item Code	Description	Size
TSSDS1	Stormwater Drain Seal	810 x 950mm
TSSDS2	Stormwater Drain Seal	1100x1100mm

## Flat Drain Guard



- ▼ Removes up to 99.8% of hydrocarbons from runoff.
- ▼ Prevents solids from entering stormwater.
- ▼ Overflow holes prevent stormwater blockage.
- ▼ Suits flat stormwater drains up to 1m x 1m.
- ▼ Easy D.I.Y installation instructions included.
- ▼ Absorbent pockets added for extra protection.

Item Code	Description	Size
TSSF DG	Flat Stormwater Drain Guard	1100x1100mm

## Flexible Spill Barrier



- ▼ Reusable nonabsorbent spill containment barrier.
- ▼ Sticky exterior adheres to ground for maximum seal.
- ▼ Made of chemically resistant PVC.
- ▼ Wash with soap & water to recharge sticky exterior.
- ▼ Packed in hi-vis bag and wall mountable hook.
- ▼ Joiners available at no additional charge.
- ▼ This flexible unit can be shaped to fit your requirement.

Item Code	Description	Size
TSSF B	Flexible Spill Barrier	2m x 70mm(H)



# Drip & Catchment Trays



- ▼ Perfect for use with rotary pumps.
- ▼ Collect incidental spills and prevent slip hazards.
- ▼ Ideal as bunding around waste oil collection points.
- ▼ Rotomoulded for extra strength.
- ▼ Made from chemical resistant polyethylene.

## 1-Drum Round Spill Tray

Item Code	Capacity	Height	Length	Width
TSSBT50	50 Litre	230mm	610mm	610mm

- ▼ Designed for benchtop use.
- ▼ Perfect for lab applications.
- ▼ Spills drain safely to the sump.
- ▼ Chemical resistant polyethylene.



TSSBB25



TSSBB50

## Bench-top Spill Trays

Item Code	Capacity	Height	Length	Width
TSSBB25	27.5 Litre	110mm	550mm	550mm
TSSBB50	29 Litre	110mm	715mm	460mm



TSSDTM



TSSDTL



TSSMT

## Drip and Storage Trays

Item Code	Description	Capacity	Height	Length	Width
TSSDTM	Medium Drip Tray	20 Litre	100mm	610mm	410mm
TSSDTL	Large Drip Tray	45 Litre	100mm	810mm	610mm
TSSMT	Maxi Tray	250 Litre	270mm	1300mm	750mm



# Drip & Catchment Trays



TSSGPT1



TSSGPT2

- ▼ Provides safe, banded storage for small drums and containers.
- ▼ Ideal for use with batteries, drums, machine parts, etc.
- ▼ Ribbed base design provides additional strength and spill clearance.
- ▼ Chemical resistant rotomoulded polyethylene for superior durability.

Tuff Storage Trays						
Item Code	Description	Capacity	Height	Length	Width	Load UDL
TSSGPT1	Medium Tuff Tray	110 Litre	295mm	730mm	730mm	260kg
TSSGPT2	Large Tuff Tray	230 Litre	295mm	1290mm	730mm	600kg

# Drum Overpacks



TSS1237



TSS1230



TSS1220

- ▼ Approved for use with Packaging Group I, II & III.
- ▼ Certified for use as DOT Salvage Drums, 49 CFR 173.3(c)
  - ▼ Made of high density polyethylene.
  - ▼ Tool free screw-down closure.
  - ▼ Gasket lid for positive seal.
  - ▼ Superior strength with UV inhibitors.
  - ▼ Nestable for convenient storage.
  - ▼ Store & ship 25, 60 & 205L drums.
  - ▼ Ideal weatherproof spill kit container.
  - ▼ UL 94HB Flammability Rating.
  - ▼ FDA 21 CFR 177.1520 Food Grade.

Salvage Drums and Overpacks					
Item Code	Capacity (Litre)	Height (mm)	Diameter Top (mm)	Diameter Bottom (mm)	Weight (kg)
TSS1237	360	1098	787	683	21
TSS1230	114	720	570	420	6.3
TSS1220	76	520	520	425	5.8



# Bins and Carts



X-BIN240



X-BIN120



X-BIN660

Mobile Bins					
Item Code	Capacity	Height	Width	Depth	Weight
X-BIN660	660L	1200mm	1225mm	770mm	45mm
X-BIN240	240L	1060mm	580mm	640mm	15.5mm
X-BIN140	140L	920mm	535mm	550mm	11.4mm



TSSPMCXL4



TSSPC



TSSGPSC2



TSSBT100

Maintenance Carts & Trolleys					
Item Code	Capacity	Height	Length	Width	Weight
TSSPC	60L	965mm	1360mm	710mm	40kg
TSSPMCXL4	-	1550mm	650mm	725mm	39kg
TSSGPSC2	220L	810mm	875mm	875mm	20kg
TSSBT100	100L	980mm	900mm	700mm	18kg

Spill Station waste disposal bags are made from polyethylene for additional strength.

Waste Disposal Bags				
Item Code	Description	Height (mm)	Width (mm)	Qty
X-AWB/10	Asbestos Waste Bags	900	600	10
X-BAT/10	Contaminated Waste Bags	700	560	10





# Companion Equipment



- ▼ Provides 15mins of decontaminating flow as specified in ANSI Standard Z358.1.
- ▼ Certified by the Safety Equipment Institute.
- ▼ One bottle of Hydrosep water additive included.
- ▼ Positive water flow within one second of operation.

Portable Eyewash Unit				
Item Code	Capacity	Height	Width	Flow
TSSSE4050	53 Litres	635mm	495mm	15mins



## Temporary Tank & Drum Repair Putty

Item Code	Name	Weight
PIU800	Plugitup Putty	800g

- ▼ Stop leaks from drums, and tanks at the source.
- ▼ No surface or putty preparation is required.
- ▼ Simply scoop putty out and press over the hole.
- ▼ Very adhesive and chemical resistant.
- ▼ Effective up to .25 bar (8ft head pressure).
- ▼ Adheres to metal, plastic and glass.
- ▼ Perfect addition to any Spill Response Kit.
- ▼ Buys precious time and saves valuable liquids.



- ▼ Reflective outer and internal LED light with 300 hour run time.
- ▼ Lightweight fold-away design makes it a perfect spill kit addition.
- ▼ Isolate contaminated spill areas effectively day or night.
- ▼ Folds down into sturdy PVC base to a height of only 50mm.

Collapsible Cone With Internal LED Light				
Item Code	Power	Height	Base	Weight
TSS450	2xAAA battery	450mm	245x245mm	1.2kg

Fire extinguishers are a vital part of any flammable goods storage area.

Suitable for:

Class A – Paper, textiles, wood, most plastics and rubber

Class B – Flammable liquids

Class E – Electrically energised equipment



Fire Extinguishers			
Item Code	Description	Discharge Time	Effective Range
WO282	2.7kg ABE Fire Extinguisher	15 secs	4 metres
WO283	4.5kg ABE Fire Extinguisher	20 secs	5 metres



# Spill Response Signs



X-WLL



X-DSL



X-DOBS



X-KIL

Item Code	Description	Size
X-WLL	Metal, "Spill Station" Sign	600x450mm
X-KIL	Metal, Spill Kit Instruction Sign	600x450mm
X-DSL	Metal, Drain Seal Instruction Sign	600x450mm
X-DOBS	Metal, Drive-Over Bunding Sign	600x450mm
X-PSS	Poly, Double Sided "Spill Station" Sign	530x220mm

When any emergency response is required, reaction time is critical.

The longer it takes to find the correct equipment the bigger the problem becomes.

Ensure crucial spill response equipment can be located immediately with this range of signs.

All signs are guaranteed against corrosion or fading for seven years.



X-PSS



Spill Barrier Tape		
Item Code	Description	Length
X-BTAP	Spill Barrier Tape	20 metres



- ▼ Store MSDSs and information required by emergency services.
- ▼ Lockable latches keyed to L003 Fire Brigade locks.
- ▼ Wall mountable and weatherproof. made from zincanneal steel.

Emergency Information Cabinet			
Item Code	Height	Width	Depth
BCEI425350	425mm	350mm	100mm
BCEI500600	600mm	500mm	156mm



# Water Treatment & Filtration



- ▼ Ideal for removing oil from water in remote areas.
- ▼ Aluminium dispersal wand with 50mm female camlock fitting.
- ▼ Removes up to 99.8% of hydrocarbons at 180L/minute.
- ▼ Converts up to 30L of hydrocarbon to a manageable solid.

## TSSNK1 Portable Oil/Water Filter

Item Code	Description	Capacity	Height	Width
TSSNK1	Portable Oil/Water Filter Complete	30 Litre	1300mm	500mm
TSSNK1R	Portable Oil/Water Filter Refill	30 Litre	1150mm	500mm



- ▼ Removes solids from general urban runoff.
- ▼ Ideal for dewatering roadside pits.
- ▼ Adaptor fitted with 50mm female camlock.
- ▼ 300mm x 2m size for high volume pumpout.

## Clearflow Filter Tube


Item Code	Description	Diameter	Length
CFFT147	Filter Tube	147mm	1000mm
CFFTAK1	147mm Adaptor		
CFFT300	Filter Tube	300mm	2000mm
CFFTAK2	300mm Adaptor		



- ▼ Removes clay (colloidal) soils from water.
- ▼ Reusable outer and disposable inner filter.
- ▼ Dispersal wand fitted with 50mm female camlock.
- ▼ Quick release flap for inner filter removal.

## Dewatering System For Clay Soils

Item Code	Description	Length	Width
TSSDWS1	Dewatering Bag Complete	2200mm	800mm
TSSDWSR	Inner Filter Replacement	2000mm	720mm



- ▼ Remove gross pollutants as they enter stormwater drains.
- ▼ Stainless steel basket is available in a variety of mesh sizes.
- ▼ Unit sits under the grate out of traffic areas.
- ▼ Easy to retrofit to existing drains.

## Stormwater Pollution Interceptor (SPI)

Item Code	Description	Depth
SPI1	Suits drains up to 670mm x 670mm	400mm
SPI2	Suits drains up to 1m x 1m	400mm



# PPE & Spill Cleanup

Hand Protection	
Item Code	Description
X-NEO	Chemical Resistant Neoprene Gloves
X-ORG	Oil Resistant PVC Gloves
X-ORG-E	Oil Resistant PVC Gauntlets
X-DLG	Disposable Latex Gloves
X-NDG	Disposable Nitrile Gloves



Eye Protection	
Item Code	Description
X-IRG	Safety Glasses
X-GOG	Splash Goggles
X-MES	Face Mask With Eye Shield

Respiratory Protection	
Item Code	Description
X-DMV	P2 Mask with Valve
X-HFM	Half-face Mask A-AUS P2 Cartridges



Protective Clothing	
Item Code	Description
X-TDO	Disposable Overall
X-DHG	Disposable Clinical Gown
X-PEA	LDPE Disposable Apron



Waste Collection Equipment	
Item Code	Description
X-SCOOP	Dustpan & Brush
X-BRM	Hard Bristle Yard Broom
X-HSH	Sparkproof Shovel

PPE Sleeve	
Item Code	Description
X-PPS	PPE/MSDS Sleeve

Ensure your personal protection equipment and material safety data sheets are easy to find by including the PPE Sleeve in your Spill Kit.





# Permanent Bund Lining

- ▼ Repair damaged and leaking bunds with this unique spray-on bund lining solution.
- ▼ Provides seamless protection against impact, corrosion and chemical attack.
- ▼ Create impervious bunded areas on earthen substrates in remote areas.
- ▼ Outstanding chemical resistance makes it suitable for a wide range of chemicals.
- ▼ Australia wide network of qualified application technicians.

## Class 8 Corrosives Storage Tanks.



Before



After



Large-scale chemical storage areas

### Ideal for:

- ▼ Mining and remote area bunding.
- ▼ Transformer bunding.
- ▼ Lining chemical storage rooms.
- ▼ Lining primary containers.
- ▼ Indoor and outdoor chemical bunds.
- ▼ Large and small scale hydrocarbon bunds.
- ▼ High traffic chemical loading areas.
- ▼ Underground chemical containment pits.

### Electrical Transformer Bund



Before

After



Create remote area earthen bunds

### Features:

- ▼ Use on steel, fiberglass, concrete, wood & rubber.
- ▼ Guaranteed never to crack, warp or peel.
- ▼ Can be applied to any thickness required.
- ▼ Cures rapidly to reduce downtime and lost productivity.
- ▼ Grit additive available to provide extra traction.



# Accredited Training Programmes

## Render Hazmat Incident Safe (PUAFIR306A).

Through our partnership with a leading Registered Training Organisation (RTO), Spill Station Australia is now able to offer this nationally accredited course to ensure the first response is the right response.

This course is tailored to meet the specific needs of organizations that store, use and transport hazardous materials.

As with all nationally accredited courses offered through Spill Station Australia, this course is designed to comply with all national and state legislative requirements and is aligned to the Australian Quality Training Framework.

Spill Station's accredited instructors are professional operational fire fighters and highly skilled with both industry specific qualifications and experience.



This full day course is conducted on your site with a class size of up to 10 people.

The subjects covered in this course are explored both practically and theoretically and include:

- ▼ Personal protection equipment
- ▼ Hazardous material identification
- ▼ Spill response procedures
- ▼ Risk management
- ▼ Containment and remediation
- ▼ Decontamination
- ▼ Post incident action

### Other accredited courses available through Spill Station Australia:

- ▼ Operate Open Circuit Breathing Apparatus (PUAFIR207A)
- ▼ Breathing Apparatus Refresher (PUAFIR207A)
- ▼ Gas Detection Monitor Hazardous Atmosphere (PUAFIR307A)
- ▼ Prevent, Respond & Evacuate (PMAOHS212A & PUAWER001A)
- ▼ Workplace Evacuation (PUAWER001A)
- ▼ Confined Space (Numerous National Units)
- ▼ First Response Fire Attack (PMAOHS212A)



NATIONALLY RECOGNISED  
TRAINING




## SPILL STATION AUSTRALIA PTY LTD

Ph: 1300 66 42 66

Fax: 1800 72 74 31

e-mail: [info@spillstation.com.au](mailto:info@spillstation.com.au)

[www.spillstation.com.au](http://www.spillstation.com.au)



ISO 9001 - 2000 Reg. No. 009-A